

Land-building marsh plants are champions of CO₂ capture

May 5 2022



Credit: Pixabay/CC0 Public Domain

It is well known that CO₂ emissions from burning fossil fuels underlie the havoc being wrought by climate change. Stemming further emissions through innovations in sustainable energy production is certainly part of the solution. However, slowing global warming also hinges upon our ability to capture and retain CO₂ from the atmosphere. In a study published today in the journal *Science*, a team of researchers from the Netherlands, U.S. and Germany shows that salt and freshwater wetlands capture and store huge amounts of CO₂ through the plants that build these landscapes. The good news is that restoration of these wetlands is improving, amplifying their ability to be used as nature-based and sustainable tool for counteracting climate change.

Peat bogs, [salt marshes](#), [mangrove forests](#) and seagrass beds cover only 1% of the Earth's total surface, but sequester more than 20% of all the CO₂ absorbed by ecosystems worldwide. This unique property arises because plants build these wet landscapes. Through such landscape-forming processes, an enormous amount of CO₂ is captured and stored in the soil. The power of such feedback in creating "carbon capture hotspots" is demonstrated by scientists from Utrecht University, the Royal Institute for Sea Research (NIOZ), Radboud University and the University of Groningen, in the Netherlands, the University of Florida and Duke University in the United States and Griefswald University in Germany, in a study in which they synthesize recent scientific literature on this topic.

Hotspots of CO₂ storage

In their study, the team shows that oceans and forests hold the most CO₂ globally, followed by wetlands. "But when we look at the amount of CO₂ stored per square meter, it turns out that wetlands store about five times more CO₂ than forests and as much as 500 times more than oceans," says first author Ralph Temmink, wetland ecologist and at Utrecht University. "Peat bogs, salt marshes, mangrove forests and [seagrass beds](#) are therefore global 'hotspots' of CO₂ storage."

Landscape-forming plants

When the team zooms in on how these hotspots work, it turns out that these wetlands are all built by landscape-forming plants that help each other when they grow close together; a process that also drives CO₂ capture. In raised bogs, peat mosses behave like sponges—together they retain an enormous amount of rainwater, driving their own growth. Underneath the living peat mosses, the remains of dead peat mosses accumulate. Because this layer, which is up to 10 meters thick, is permanently under water, the dead plants hardly decompose. This means

that a lot of CO₂ is retained as the mosses gradually build these peatland landscapes. In lowlands and coastal marshes, plants retain suspended sediments and dead plant material with their aboveground stems and leaves and complex root mat belowground. Nutrients are released from this captured detritus and the plants grow even better. Just like in raised bogs, this positive feedback between detritus capture and plant growth thickens the soil layer, in which a lot of CO₂ is locked up.

Ecosystem restoration of wetlands

Although wetlands are essential in the fight against climate change, human interference is causing the loss of 1% of these ecosystems per year worldwide. Land reclamation and pollution disrupt the landscape-forming processes. Consequently, marshland disturbances release enormous amounts of CO₂ from their soils. In total, wetland degradation is contributing about 5% of our global annual CO₂ emissions.

Of all wetland restoration attempts, more than 50% fail because the landscape-forming properties of the plants are insufficiently taken into account. "Restoration is much more successful when the plants are placed in large dense clumps, when their landscape-forming properties are mimicked, or simply when very large areas are restored in one go," says Tjisse van der Heide, researcher at NIOZ and professor of coastal ecology at the University of Groningen. "The good news is that with this knowledge, large-scale restoration of these important wetlands is now within reach."

Opportunities for nature and society

"We support this study and are very happy with its findings," says Teo Wams, director of nature managing NGO Natuurmonumenten; "It shows how important peatland and salt marshes are, and illustrates that we

should take good care of these valuable ecosystems. Also, this knowledge helps us to improve management and restoration of unique landscapes." Industry also sees opportunities: "We have been supporting research on restoration of CO₂-capturing ecosystems for years. It is an important aspect of the 'Building with Nature' concept, and we expect it to become an important part of future hydraulic engineering projects," says Mark van Koninksveld, R&D and Innovation Manager at the international marine contractor Van Oord.

More information: Ralph J. M. Temmink et al, Recovering wetland biogeomorphic feedbacks to restore the world's biotic carbon hotspots, *Science* (2022). [DOI: 10.1126/science.abn1479](https://doi.org/10.1126/science.abn1479).
www.science.org/doi/10.1126/science.abn1479

Provided by Radboud University Nijmegen

Citation: Land-building marsh plants are champions of CO₂ capture (2022, May 5) retrieved 24 April 2024 from
<https://phys.org/news/2022-05-land-building-marsh-champions-co2-capture.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--