


# Researchers magnify hidden biological structures by combining SRS and expansion microscopy

May 18 2022, by Jocelyn Duffy



MAGNIFIERS captured newly synthesized Huntingtin aggregates (in red) with nanoscale resolution in the Huntington disease model. Credit: Carnegie Mellon

University

A research team from Carnegie Mellon University and Columbia have combined two emerging imaging technologies to better view a wide range of biomolecules, including proteins, lipids and DNA, at the nanoscale. Their technique, which brings together expansion microscopy and stimulated Raman scattering microscopy, is detailed in *Advanced Science*.

Biomolecules are traditionally imaged using fluorescent microscopy, but that technique has its limitations. Fluorescent microscopy relies on fluorophore-carrying tags to bind to and label molecules of interest. These tags emit fluorescent light with a broad range of wavelengths; thus researchers can only use 3-4 fluorescent colors in the [visible spectrum](#) at a time to label molecules of interest.

Unlike [fluorescent microscopy](#), stimulated Raman scattering microscopy (SRS) visualizes the chemical bonds of biomolecules by capturing their vibrational fingerprints. In this sense, SRS doesn't need labels to see the different types of biomolecules, or even different isotopes, within a sample. In addition, a rainbow of dyes with unique vibrational spectra can be used to image multiple targets. However, SRS has a [diffraction limit](#) of about 300 nanometers, making it unable to visualize many of the crucial nanoscale structures found in cells and tissue.

"Each type of molecule has its own vibrational fingerprint. SRS allows us to see the type of molecule we want by tuning in to the characteristic frequency of its vibrations. Something like switching between the radio stations," said Carnegie Mellon Eberly Family Associate Professor of Biological Sciences Yongxin (Leon) Zhao.

Zhao's lab has been developing new imaging tools based on [expansion microscopy](#)—a technique that addresses the problem of diffraction limits in a wide range of [biological imaging](#). Expansion microscopy takes [biological samples](#) and transforms them into water-soluble hydrogels. The hydrogels can then be treated and made to expand to more than 100 times their original volume. The expanded samples can then be imaged using standard techniques.

"Just as SRS was able to surmount the limitations of fluorescence microscopy, expansion microscopy surmounts the limitations of SRS," said Zhao.

The Carnegie Mellon and Columbia researchers combined SRS and expansion microscopy to create Molecule Anchorable Gel-enabled Nanoscale Imaging of Fluorescence and Stimulated Raman Scattering microscopy (MAGNIFIERS). Zhao's expansion [microscopy](#) technique was able to expand samples up to 7.2-fold, allowing them to use SRS to image smaller molecules and structures than they would be able to do without expansion.

In the recently published study, the research team showed that MAGNIFIERS could be used for high-resolution metabolic imaging of protein aggregates, like those created in conditions like Huntington's disease. They also showed that MAGNIFIERS could map the nanoscale location of eight different markers in brain tissue at one time.

The researchers plan to continue to develop the MAGNIFIERS technique to achieve higher resolution and higher throughput imaging for understanding the pathology of complex diseases, such as cancer and brain disorders.

Additional study co-authors include: Aleksandra Klimas, Brendan Gallagher, Zhangu Cheng, Feifei Fu, Piyumi Wijesekara and Xi Ren

from Carnegie Mellon; and Yupeng Miao, Lixue Shi and Wei Min from Columbia.

**More information:** Lixue Shi et al, Super-Resolution Vibrational Imaging Using Expansion Stimulated Raman Scattering Microscopy, *Advanced Science* (2022). [DOI: 10.1002/advs.202200315](https://doi.org/10.1002/advs.202200315)

Provided by Carnegie Mellon University

Citation: Researchers magnify hidden biological structures by combining SRS and expansion microscopy (2022, May 18) retrieved 24 June 2024 from <https://phys.org/news/2022-05-magnify-hidden-biological-combining-srs.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.