


How do water mold spores swim?

May 9 2022



Left: False-colour image of the zoospore of an oomycete (Phytophthora parasitica). Note that the anterior flagellum has the appearance of tinsel while the posterior flagellum is smooth. Right: High-speed camera image illustrating flagellar motion when swimming, and diagram of zoospore. Credit: Quang D. Tran, Eric Galiana, Philippe Thomen, Céline Cohen, François Orange, Fernando Peruani, Xavier Noblin

Oomycetes, also known as water molds, are pathogenic microorganisms that resemble fungi and are responsible for a group of diseases affecting several plant species. To reach and infect plants, the zoospores—i.e., selfpropelled spores—of oomycetes swim to their target using two flagella, one opposite the other. In a recent study directed by a CNRS researcher,



physicists and biologists worked together to precisely measure the movement of each flagellum while a zoospore follows a linear trajectory and when it is turning. They used these data to develop a theoretical model.

Their findings, published in *eLife*, reveal that in order for the zoospore to turn, its anterior flagellum ceases to beat sinusoidally, as it does when moving along a straight path, and instead adopts a breaststroke. This is the first time that the movement of such organisms has been described at a microscopic scale.

Beyond the fundamental biophysical questions the nature of their motion raises, zoospores represent a new model of "microswimmers" distinct from algae and bacteria, suggesting new avenues of physics research. Through these findings we now understand how oomycete zoospores move, but we still lack knowledge about when and why they change direction during their movement. In the future, the researchers would like to study the interactions between the zoospores and the roots they infect, in order to identify the <u>chemical processes</u> that attract these <u>pathogenic microorganisms</u>.

More information: Raymond E Goldstein, Editor's evaluation: Coordination of two opposite flagella allows high-speed swimming and active turning of individual zoospores, *eLife* (2022). <u>DOI:</u> <u>10.7554/eLife.71227.sa0</u>

Provided by CNRS

Citation: How do water mold spores swim? (2022, May 9) retrieved 23 May 2024 from <u>https://phys.org/news/2022-05-mold-spores.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.