

Scientists synthesize new, ultra-hard material

May 6 2022



Credit: Unsplash/CC0 Public Domain

Russian scientists have synthesized a new ultra-hard material consisting of scandium containing carbon. It consists of polymerized fullerene molecules with scandium and carbon atoms inside. The work paves the way for future studies of fullerene-based ultra-hard materials, making them a potential candidate for photovoltaic and optical devices, elements

of nanoelectronics and optoelectronics, and biomedical engineering as high-performance contrast agents. The study was published in *Carbon*.

The discovery of new, all-carbon molecules known as fullerenes almost 40 years ago was a revolutionary breakthrough that paved the way for fullerene nanotechnology. Fullerenes have a [spherical shape](#) made of pentagons and hexagons that resembles a [soccer ball](#), and a cavity within the carbon frame of fullerene molecules can accommodate a variety of atoms.

The introduction of metal atoms into carbon cages leads to the formation of endohedral metallofullerenes (EMF), which are technologically and scientifically important owing to their unique structures and optoelectronic properties.

A team of researchers from NUST MISIS, Technological Institute for Superhard and Novel Carbon Materials, and Kirensky Institute of Physics have obtained, for the first time, scandium-containing EMFs and studied the process of their polymerization. Polymerization is the process by which unbound molecules link together to form a chemically bonded polymerized material. Most polymerization reactions proceed at a faster rate under [high pressure](#).

After the scandium-containing fullerenes were obtained from carbon condensate using a high-frequency arc discharge plasma, they were placed in a diamond anvil cell, the most versatile and popular device used to create very high pressures.

"We have found that guest atoms facilitate the polymerization process. Scandium atoms change the fullerene bonding process completely by the polarization of the carbon bonds, which leads to an increase in their chemical activity. The material obtained was less rigid than pristine polymerized fullerenes, it was easier to obtain," said Pavel Sorokin,

senior researcher at the NUST MISIS Laboratory of Inorganic Nanomaterials.

The study will pave the way for studies of fullerite endohedral complexes as a macroscopic material and make it possible to consider EMF not only as a nanostructure of fundamental interest but also as a promising material that may be in demand in various fields of science and technology in the future, the researchers believe.

More information: S.V. Erohin et al, Insights into fullerene polymerization under the high pressure: The role of endohedral Sc dimer, *Carbon* (2021). [DOI: 10.1016/j.carbon.2021.12.040](https://doi.org/10.1016/j.carbon.2021.12.040)

Provided by The National University of Science and Technology MISIS

Citation: Scientists synthesize new, ultra-hard material (2022, May 6) retrieved 27 June 2024 from <https://phys.org/news/2022-05-scientists-ultra-hard-material.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.