

Sidekick microbubbles carry anti-cancer drugs, damage tumor vessels

May 24 2022



Microbubbles can assist with localized drug delivery in a patient's body by popping at a target site to create enhanced permeability of tumor blood vessels. Credit: Naomi Matsuura, University of Toronto

Microbubbles can assist with localized drug delivery in a patient's body by popping at a target site to create enhanced permeability of tumor blood vessels. By temporarily increasing the porosity of the blood vessels, the microbubbles can create a means for coinjected anti-cancer



drugs to preferentially leak into the tumor for treatment.

Naomi Matsuura, of the University of Toronto, and her team are adapting microbubbles to become more potent tools for <u>cancer therapy</u>. By shrinking the bubbles and directly loading them with <u>anti-cancer</u> <u>drugs</u>, the bubbles can lower the dose of free drug that is injected and diffuses into nontumor tissue in the body. This results in more targeted treatment and fewer side effects for the patient.

Matsuura will discuss her team's results in her presentation, "Ultrasoundstimulated, drug-loaded bubbles for cancer therapy," as part of the 182nd Meeting of the Acoustical Society of America at the Sheraton Denver Downtown Hotel. The session will take place May 24 at 11:30 a.m. Eastern U.S.

The team loaded taxanes, a commonly used <u>anti-cancer drug</u>, onto the bubbles. Because the drug is hydrophobic, it avoids water and sticks to the bubble easily, avoiding any leakage into the bloodstream or surrounding tissue until the bubble is stimulated by ultrasound.

They plan to extend the <u>bubbles</u> to carry other types of drugs as well, but the drug loading tends to be lower and less stable for hydrophilic materials.

"We are also modifying the pattern of the sound waves in a way that makes the anti-cancer drug more potent in comparison to a regular intravenous drug injection," said Matsuura.

"If we can combine lower side effects from direct drug loading with a more potent effect of the drug by modifying systems that are already in place for patients, we have a chance to make an impact on the outcomes of cancer patients in a relatively short period of time."



More information: Conference: acousticalsociety.org/asa-meetings/

Provided by Acoustical Society of America

Citation: Sidekick microbubbles carry anti-cancer drugs, damage tumor vessels (2022, May 24) retrieved 2 May 2024 from https://phys.org/news/2022-05-sidekick-microbubbles-anti-cancer-drugs-tumor.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.