


The environmental cost of cheating to overcome cooperation in simple multicellular organisms

June 29 2022, by Bob Yirka



(a) Representative volvocine green algae that exhibit different degrees of cooperation (see electronic supplementary material, figure S1 for additional information). (b) Micrographs of a *Volvox carteri* wild-type (Eve)—showing the development of gonidia into embryos; a somatic regenerator mutant (regAMN)—in which, in addition to germ cells, somatic cells grow and develop into embryos; and a gonidialess/regenerator mutant (dmSM625-31) – with all its cells developing into embryos. (c) Schematic representations of the life cycles of a wild-type (top), somatic regenerator (middle) and gonidialess/regenerator (bottom) strain showing differences in development and number of offspring. Specifically, while in the wild-type, all offspring is derived from germ cells, in regenerator mutants there are two types of offspring—small individuals developed from regenerating somatic cells and larger offspring from germ cells;

on the other hand, in gonidialess/regenerator mutants, all cells produce offspring. 'x G' and 'x S' indicate that the offspring is a multiple of the number of germ and somatic cells, respectively. Credit: *Biology Letters* (2022). DOI: 10.1098/rsbl.2022.0059

A team of researchers at the University of New Brunswick has conducted an experiment to learn more about the evolution of cooperation in groups of living creatures. In their paper published in the journal *Biology Letters*, the group describe genetically altering a type of green algae to allow it to bypass cooperation.

Scientists have often wondered about the factors that led to the evolution of [cooperation](#) between members of biological communities, from simple [cells](#) to animals, including humans. And because no one has been able prove exactly how it happens, competing arguments have arisen. In this new effort, the researchers proposed that cheating in cooperative groups must have a penalty of some sort to prevent it from becoming the dominant behavior in a group. To test this idea, they turned to simple green algae, a type of creature with two main types of cells: those that replicate by reproduction and those that do not because they make up non-reproductive body parts. To induce some of the body cells to cheat the system, the researchers edited their DNA in a way that allowed them to reproduce. They then left the algae to their own devices.

The researchers found, as expected, that the number and proportion of body cells began to grow compared to the reproductive cells. The researchers then exposed the [algae](#) to harsh environmental conditions such as heat and alternating periods of light and dark. They found that approximately half of the naturally reproductive cells died and that all of those that had been genetically altered had died. The researchers suggest this finding gives credence to their theory—the cheaters in the group

paid a penalty for their cheating abilities, becoming more sensitive to changing [environmental conditions](#), and perished because of it, preventing them from passing on their genes.

The researchers suggest similar types of trade-offs are likely in other cooperating groups as well. And such cooperation, they further note, likely played a role in the [evolution](#) of multicellularity in [early life](#).

More information: Marybelle E. Cameron-Pack et al, A personal cost of cheating can stabilize reproductive altruism during the early evolution of clonal multicellularity, *Biology Letters* (2022). [DOI: 10.1098/rsbl.2022.0059](#)

© 2022 Science X Network

Citation: The environmental cost of cheating to overcome cooperation in simple multicellular organisms (2022, June 29) retrieved 20 March 2024 from <https://phys.org/news/2022-06-environmental-cooperation-simple-multicellular.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.
