

Controlled fabrication of multimetallic building blocks for hybrid nanomaterials

June 14 2022



The copolymers formed by this technique can serve as building blocks to make macromolecular metal complexes with a wide range of applications. Credit: Tokyo University of Science

From plastics to clothes to DNA, polymers are everywhere. Polymers are highly versatile materials that are made of long chains of repeating units called monomers. Polymers containing metal complexes on their side chains have enormous potential as hybrid materials in a variety of fields.



This potential only increases with the inclusion of multiple metal species into the polymers. But conventional methods of fabricating polymers with metal complexes are not appropriate for the construction of multimetallic polymers, because controlling the composition of metal species in the resulting polymer is complex.

Recently, a research team, led by Assistant Professor Shigehito Osawa and Professor Hidenori Otsuka from Tokyo University of Science, has proposed a new method of polymerization that can overcome this limitation. Dr. Osawa explains, "The usual method of preparing such complexes is to design a <u>polymer</u> with ligands (molecular 'backbones' that join together other chemical species) and then add the metal species to form complexes on it. But each metal has a different binding affinity to the ligand, which makes it complicated to control the resulting structure. By considering polymerizable monomers with complexes of different metal species, we can effectively control the composition of the resulting copolymer."

The study was made available online on April 1, 2022, and published in Volume 58, Issue 34 of *Chemical Communications* on April 30, 2022.

When the monomers that make up a polymer are polymers themselves, the polymer is called a copolymer. For their study, the scientists designed a dipicolylamine acrylate (DPAAc) monomer. DPA was chosen because it is an excellent metal ligand and has been used in various biochemical applications. They then polymerized DPAAc with zinc (Zn) and platinum (Pt) to form two polymer chains with metal complexes—DPAZn(II)Ac and DPAPt(II)Ac. They then copolymerized the two monomers. They found that they could not only successfully create a copolymer, but that they could also control its metal composition by varying the feeding composition of the monomers.

Then they applied this copolymer as a building block to fabricate



nanoparticles using plasmid deoxyribonucleic acid (DNA) as a template. Plasmid DNA was chosen as a template because the two constituent monomers are known to bind to it. The formation of the resulting nanoparticle polymer complexes with DNA (polyplexes) was confirmed using high-resolution scanning tunneling electron microscopy and energydispersive X-ray spectroscopy.

This technique—now a patent-pending technology—can be extended to a novel method for fabricating intermetallic nanomaterials. "Intermetallic catalytic nanomaterials are known to have significant advantages over nanomaterials containing only a single metallic species," says Dr. Osawa.

The polyplexes formed in the study are DNA-binding molecules, which indicates that they could be used to develop anti-cancer drugs and gene carriers. The proposed fabrication method will also lead to advances in catalysis that move away from precious metals like platinum. "These multimetallic copolymers can serve as building blocks for future macromolecular <u>metal complexes</u> of many varieties," concludes Dr. Osawa.

More information: Shigehito Osawa et al, Controlled polymerization of metal complex monomers—fabricating random copolymers comprising different metal species and nano-colloids, *Chemical Communications* (2022). DOI: 10.1039/D1CC07265J

Provided by Tokyo University of Science

Citation: Controlled fabrication of multimetallic building blocks for hybrid nanomaterials (2022, June 14) retrieved 26 April 2024 from <u>https://phys.org/news/2022-06-fabrication-multimetallic-blocks-hybrid-nanomaterials.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.