


'Fruitcake' structure observed in organic polymers

June 2 2022, by Sarah Collins



Researchers have analyzed the properties of an organic polymer with potential applications in flexible electronics and uncovered variations in hardness at the nanoscale, the first time such a fine structure has been observed in this type of material. Credit: University of Cambridge

Researchers have analyzed the properties of an organic polymer with potential applications in flexible electronics and uncovered variations in hardness at the nanoscale, the first time such a fine structure has been observed in this type of material.

The field of organic electronics has benefited from the discovery of new semiconducting polymers with molecular backbones that are resilient to twists and bends, meaning they can transport charge even if they are flexed into different shapes.


It had been assumed that these materials resemble a plate of spaghetti at the molecular scale, without any [long-range order](#). However, an international team of researchers found that for at least one such material, there are tiny pockets of order within. These ordered pockets, just a few ten-billionths of a meter across, are stiffer than the rest of the material, giving it a 'fruitcake' structure with harder and softer regions.

The work was led by the University of Cambridge and Park Systems UK Limited, with KTH Stockholm in Sweden, the Universities of Namur and Mons in Belgium, and Wake Forest University in the U.S. Their results, reported in the journal *Nature Communications*, could be used in the development of next-generation microelectronic and bioelectronic devices.

Studying and understanding the mechanical properties of these materials at the nanoscale—a field known as nanomechanics—could help

scientists fine-tune those properties and make the materials suitable for a wider range of applications.

"We know that the fabric of nature on the nanoscale isn't uniform, but finding uniformity and order where we didn't expect to see it was a surprise," said Dr. Deepak Venkateshvaran from Cambridge's Cavendish Laboratory, who led the research.



Researchers used an imaging technique called higher eigen mode imaging to take nanoscale pictures of the regions of order within a semiconducting polymer called indacenodithiophene-co-benzothiadiazole (C16-IDTBT). Credit: University of Cambridge

The researchers used an [imaging technique](#) called higher eigen mode imaging to take nanoscale pictures of the regions of order within a semiconducting polymer called indacenodithiophene-co-benzothiadiazole (C16-IDTBT). These pictures showed clearly how individual polymer chains line up next to each other in some regions of the polymer film. These regions of order are between 10 and 20 nanometers across.

"The sensitivity of these detection methods allowed us to map out the self-organization of polymers down to the individual molecular strands," said co-author Dr. Leszek Spalek, also from the Cavendish Laboratory. "Higher eigen mode imaging is a valuable method for characterizing nanomechanical properties of materials, given the relatively easy sample preparation that is required."

Further measurements of the stiffness of the material on the nanoscale showed that the areas where the polymers self-organized into ordered regions were harder, while the disordered regions of the material were softer. The experiments were performed in [ambient conditions](#) as opposed to an [ultra-high vacuum](#), which had been a requirement in earlier studies.

"Organic polymers are normally studied for their applications in large area, centimeter scale, flexible electronics," said Venkateshvaran. "Nanomechanics can augment these studies by developing an understanding of their mechanical properties at ultra-small scales with unprecedented resolutions.

"Together, the fundamental knowledge gained from both types of studies could inspire a new generation of soft microelectronic and bioelectronic devices. These futuristic devices will combine the benefits of centimeter scale flexibility, micrometer scale homogeneity, and nanometre scale electrically controlled mechanical motion of [polymer](#) chains with

superior biocompatibility."

More information: Dynamic self-stabilization in the electronic and nanomechanical properties of an organic polymer semiconductor, *Nature Communications* (2022). [DOI: 10.1038/s41467-022-30801-x](https://doi.org/10.1038/s41467-022-30801-x)

Provided by University of Cambridge

Citation: 'Fruitcake' structure observed in organic polymers (2022, June 2) retrieved 27 June 2024 from <https://phys.org/news/2022-06-fruitcake-polymers.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.