


# New insights into neutron star matter

June 8 2022

---



Artist's rendering showing the simulation of two merging neutron stars (left) and the emerging particle tracks that can be seen in a heavy-ion collision (right) that creates matter under similar conditions in the laboratory. Credit: Tim Dietrich, Arnaud Le Fevre, Kees Huyser, ESA/Hubble, Sloan Digital Sky Survey

An international research team has for the first time combined data from heavy-ion experiments, gravitational wave measurements and other astronomical observations using advanced theoretical modeling to more precisely constrain the properties of nuclear matter as it can be found in the interior of neutron stars. The results were published in the journal

*Nature.*

Throughout the universe, neutron stars are born in supernova explosions that mark the end of the life of massive stars. Sometimes neutron stars are bound in binary systems and will eventually collide with each other. These high-energy, [astrophysical phenomena](#) feature such extreme conditions that they produce most of the [heavy elements](#), such as silver and gold. Consequently, neutron stars and their collisions are unique laboratories to study the properties of matter at densities far beyond the densities inside atomic nuclei. Heavy-ion collision experiments conducted with [particle accelerators](#) are a complementary way to produce and probe matter at high densities and under extreme conditions.

## **New insights into the fundamental interactions at play in nuclear matter**

"Combining knowledge from nuclear theory, nuclear experiment, and astrophysical observations is essential to shedding light on the properties of neutron-rich matter over the entire density range probed in neutron stars," said Sabrina Huth, Institute for Nuclear Physics at Technical University Darmstadt, who is one of the lead authors of the publication. Peter T. H. Pang, another lead author from the Institute for Gravitational and Subatomic Physics (GRASP), Utrecht University, added, "We find that constraints from collisions of gold ions with particle accelerators show a remarkable consistency with astrophysical observations even though they are obtained with completely different methods."

Recent progress in multi-messenger astronomy allowed the international research team, involving researchers from Germany, the Netherlands, the US, and Sweden to gain new insights into the fundamental interactions at play in [nuclear matter](#). In an interdisciplinary effort, the

researchers included information obtained in heavy-ion collisions into a framework combining [astronomical observations](#) of electromagnetic signals, measurements of gravitational waves, and high-performance astrophysics computations with theoretical [nuclear physics](#) calculations. Their systematic study combines all these individual disciplines for the first time, pointing to a higher pressure at intermediate densities in [neutron stars](#).

## **Data of heavy-ion collisions included**

The authors incorporated the information from gold-ion [collision](#) experiments performed at GSI Helmholtzzentrum für Schwerionenforschung in Darmstadt as well as at Brookhaven National Laboratory and Lawrence Berkeley National Laboratory in the U.S. in their multi-step procedure that analyses constraints from nuclear theory and astrophysical observations, including neutron star mass measurements through radio observations, information from the Neutron Star Interior Composition Explorer (NICER) mission on the International Space Station (ISS), and multi-messenger observations of binary neutron star mergers.

The nuclear theorists Sabrina Huth and Achim Schwenk from Technical University Darmstadt and Ingo Tews from Los Alamos National Laboratory were key to translate the information gained in heavy-ion collisions to neutron star matter, which is needed to incorporate the astrophysics constraints.

Including data of heavy-ion collisions in the analyses has enabled additional constraints in the density region where nuclear theory and astrophysical observations are less sensitive. This has helped to provide a more complete understanding of dense matter. In the future, improved constraints from heavy-ion collisions can play an important role to bridge nuclear theory and astrophysical observations by providing

complementary information. This is especially true for experiments that probe higher densities, and reducing the experimental uncertainties has great potential to provide new constraints for neutron star properties. New information on either side can easily be included in the framework to further improve the understanding of dense matter in the coming years.

**More information:** Sabrina Huth et al, Constraining neutron-star matter with microscopic and macroscopic collisions, *Nature* (2022).  
[DOI: 10.1038/s41586-022-04750-w](https://doi.org/10.1038/s41586-022-04750-w)

Provided by Technische Universität Darmstadt

Citation: New insights into neutron star matter (2022, June 8) retrieved 19 April 2024 from <https://phys.org/news/2022-06-insights-neutron-star.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.