

Detecting new particles around black holes with gravitational waves

June 7 2022



An atom in the sky. If new ultralight particles exist, black holes would be surrounded by a cloud of such particles that behaves surprisingly similar to the cloud of electrons in an atom. When another heavy object spirals in and eventually merges with the black hole, the gravitational atom gets ionized and emits particles just like electrons are emitted when light is shone onto a metal. Credit: UvA Institute of Physics

Clouds of ultralight particles can form around rotating black holes. A team of physicists from the University of Amsterdam and Harvard University now show that these clouds would leave a characteristic



imprint on the gravitational waves emitted by binary black holes.

Black holes are generally thought to swallow all forms of matter and energy surrounding them. It has long been known, however, that they can also shed some of their mass through a process called superradiance. While this <u>phenomenon</u> is known to occur, it is only effective if new, so far unobserved particles with very low mass exist in nature, as predicted by several theories beyond the Standard Model of particle physics.

Ionizing gravitational atoms

When mass is extracted from a black hole via superradiance, it forms a large cloud around the black hole, creating a so-called gravitational atom. Despite the immensely larger size of a gravitational atom, the comparison with sub-microscopic atoms is accurate because of the similarity of the black hole plus its cloud with the familiar structure of ordinary atoms, where clouds of electrons surround a core of protons and neutrons.

In a publication that appeared in *Physical Review Letters* this week, a team consisting of UvA physicists Daniel Baumann, Gianfranco Bertone, and Giovanni Maria Tomaselli, and Harvard University physicist John Stout, suggest that the analogy between ordinary and gravitational atoms runs deeper than just the similarity in structure. They claim that the resemblance can in fact be exploited to discover <u>new particles</u> with upcoming gravitational wave interferometers.

In the new work, the researchers studied the gravitational equivalent of the so-called "photoelectric effect." In this well-known process, which for example is exploited in <u>solar cells</u> to produce an electric current, ordinary electrons absorb the energy of incident particles of light and are thereby ejected from a material—the atoms "ionize." In the gravitational analog, when the gravitational atom is part of a binary



system of two heavy objects, it gets perturbed by the presence of the massive companion, which could be a second black hole or a neutron star. Just as the electrons in the <u>photoelectric effect</u> absorb the energy of the incident light, the cloud of ultralight particles can absorb the orbital energy of the companion, so that some of the cloud gets ejected from the gravitational atom.

Finding new particles

The team demonstrated that this process may dramatically alter the evolution of such binary systems, significantly reducing the time required for the components to merge with each other. Moreover, the ionization of the gravitational atom is enhanced at very specific distances between the binary black holes, which leads to sharp features in the gravitational waves that we detect from such mergers. Future gravitational wave interferometers—machines similar to the LIGO and Virgo detectors that over the past few years have shown us the first gravitational waves from black holes—could observe these effects. Finding the predicted features from gravitational atoms would provide distinctive evidence for the existence of new ultralight particles.

More information: Daniel Baumann et al, Sharp Signals of Boson Clouds in Black Hole Binary Inspirals, *Physical Review Letters* (2022). DOI: 10.1103/PhysRevLett.128.221102

Provided by University of Amsterdam

Citation: Detecting new particles around black holes with gravitational waves (2022, June 7) retrieved 25 June 2024 from <u>https://phys.org/news/2022-06-particles-black-holes-gravitational.html</u>



This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.