

Two transcription factors play important roles in fish sex phenotype formation

June 30 2022, by Li Yuan



Live Korea Flatfish (*Paralichthys olivaceus*) sold in a supermarket in Federal Way, Washington. Credit: [User:Vmenkov](#)/Wikimedia Commons, [CC BY-SA 3.0](#)

Forkhead transcription factor 2 (Foxl2) and doublesex and mab-3-related transcription factor 1 (Dmrt1) have been proved to be the key factors in fish gonadal differentiation. Foxl2 is one of the earliest discovered ovarian differentiation markers in fish, while Dmrt1 can activate testis-specific genes and inhibit ovarian-specific genes.

Due to the lack of information on their function at [protein level](#), there is still no direct evidence to elucidate the biological functions of Foxl2 and Dmrt1 proteins on sex differentiation in fish.

Recently, a research team led by Prof. You Feng from the Institute of Oceanology of the Chinese Academy of Sciences (IOCAS) obtained the bioactive recombinant Foxl2 and Dmrt1 proteins of the olive flounder *Paralichthys olivaceus*, an important maricultured fish, and found that the recombinant Dmrt1 could alter the sex phenotype and [sex ratio](#).

The study was published in the *International Journal of Biological Macromolecules* on June 16.

The researchers used recombinant Foxl2 and Dmrt1 proteins to investigate their functions in the gonadal differentiation with intraperitoneal injection. The recombinant proteins could respectively up-regulate and down-regulate the expression of cyp19a, encoding aromatase cytochrome P450 (the rate limiting enzyme of converting androgen to estrogen), as well as the expression of the other [transcription](#) factors of cyp19a and hypothalamic-pituitary-gonadal (HPG) axis related genes.

Furthermore, the recombinant Foxl2 and Dmrt1 proteins also changed the level of sex hormones. And the male rate in the Dmrt1 group increased from 0% to 82%, which is the first report in fish.

The recombinant Foxl2 significantly up-regulated cyp19a transcription

level at the initial period of the ovarian differentiation, and then cyp19a transcription at high level was detected during the subsequent period of the gonadal differentiation. This supports the hypothesis that the up-regulation of cyp19a by Foxl2 [protein](#) is needed not only for triggering but also for maintaining ovarian differentiation.

Cyp19a transcription level was significantly decreased in the recombinant Dmrt1 group, and maintained at a low level during the testicular differentiation. In addition, the testosterone (T) and 11-ketotestosterone (11-KT) levels increased significantly.

"We speculate that the recombinant proteins caused change of cyp19a, which in turn affected the levels of sex hormones, and then affected the transcription levels of its corresponding receptors," said Shu Chang, first author of the study. In the Dmrt1 group, the decreasing transcription level of cyp19a and the increasing T and 11-KT levels promoted the formation of the male sex phenotype.

"These results could explain function of Foxl2 and Dmrt1 proteins in the flounder gonadal differentiation and reveal that Foxl2 and Dmrt1 are vital regulators for [fish](#) gonadal differentiation by regulating cyp19a expression," said Prof. You. The study also provides new biological insights and approaches for monosex production in aquaculture.

More information: Chang Shu et al, Function of Foxl2 and Dmrt1 proteins during gonadal differentiation in the olive flounder *Paralichthys olivaceus*, *International Journal of Biological Macromolecules* (2022). [DOI: 10.1016/j.ijbiomac.2022.06.098](https://doi.org/10.1016/j.ijbiomac.2022.06.098)

Provided by Chinese Academy of Sciences

Citation: Two transcription factors play important roles in fish sex phenotype formation (2022, June 30) retrieved 20 May 2024 from <https://phys.org/news/2022-06-transcription-factors-important-roles-fish.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.