

Research suggests that change in bird coloration is due to climate change

July 14 2022



Blue tit (Cyanistes caeruleus). Credit: <u>xulescu_g</u>/Wikimedia Commons, <u>CC BY-</u> <u>SA 2.0</u>



A study published by *The American Naturalist*, and in which Faculty of Science and Technology researcher David López-Idiáquez participated, explored whether climate change alters the plumage coloration of the blue tit (Cyanistes caeruleus).

The work, which was conducted over a 15-year period (2005–2019) through a partnership between scientists from the UPV/EHU and theCentre d'Ecologie Fonctionnelle et Évolutivein Montpellier (CEFE-CNRS), focused on two populations of <u>blue tits</u> in the south of France, one located on the outskirts of Montpellier and the other in the northwest of the island of Corsica.

Each year between 2005 and 2019, all breeding blue tits in each <u>population</u> were captured. As a result, researchers from the two institutions were able to gather more than 5,800 observations on the coloring and other characteristics of the blue tits.

The blue tit is characterized by its striking coloring: a blue crest and a yellow breast. The results obtained in the study show a decrease in both populations of blue and yellow coloration between 2005 and 2019. In other words, the blue crests and yellow breasts of blue tits in these two populations are on average less colorful right now than when the research began.

"Our work suggests that <u>environmental changes</u>, and specifically climate change, could be the main reason why <u>birds</u> such as the blue tit are undergoing a change in their <u>physical features</u>, more specifically in the brightness and intensity of their coloration," said David López-Idiáquez, researcher in the UPV/EHU's Department of Plant Biology and Ecology.

"A negative trend in terms of brightness and intensity of plumage coloration in both sexes and populations has been observed, although in Corsica this change is more associated with climate," explained López."



The change in plumage color seems to be the result of a combination of a rise in temperature (1.23°C) and a fall in rainfall (0.64 mm), so climate change would be the potential cause of this difference," he said.

Change in species mating patterns

It may appear to be a purely aesthetic change, but just the opposite is true, as this change in plumage may have an effect on the "mating patterns" of the species. "In these birds, traits such as coloring function as signals to indicate to other individuals the quality of the specimen, which are decisive, for example, when it comes to breeding," explained David López.

"This study was possible thanks to the continuous monitoring of the two blue tit populations for more than 15 years, which highlights the importance of long-term studies to understand the effects of <u>climate</u> <u>change</u> on the ecosystems around us," he said.

When there is a variation in the territory, <u>animal populations</u> have four options: the first is to undergo <u>genetic change</u>; the second is to undergo plastic change (change in <u>physical characteristics</u> without genetic changes); the third is to migrate; and the last, to disappear. "It is important to stress that this change is not genetic but plastic, one of the ways of adapting to new environmental conditions," he pointed out.

Change in the environment

"Given that our environment is quite similar, albeit less hot, our birds may be undergoing the same change," surmised David. "In any case, there are only four studies of this type in the world, and none of them has been carried out in the Basque Country; I think it would be very interesting to carry out more research like this not only on a Basque



level, but also on a national level," he added.

More information: David López-Idiáquez et al, Long-Term Decrease in Coloration: A Consequence of Climate Change?, *The American Naturalist* (2022). DOI: 10.1086/719655

Provided by University of the Basque Country

Citation: Research suggests that change in bird coloration is due to climate change (2022, July 14) retrieved 28 June 2024 from <u>https://phys.org/news/2022-07-bird-due-climate.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.