

The chemical controlling life and death in hair follicles

July 25 2022, by Jules Bernstein



New research into factors that control the life and death of hair follicle cells could help people with baldness, as well as wound healing. Credit: [Helpaeatcontu/Wikimedia](#)

A single chemical is key to controlling when hair follicle cells divide, and when they die. This discovery could not only treat baldness, but ultimately speed wound healing because follicles are a source of stem

cells.

Most [cells](#) in the [human body](#) have a specific form and function determined during [embryonic development](#) that does not change. For example, a blood cell cannot turn into a nerve cell, or vice versa. Stem cells, however, are like the blank tiles in a game of Scrabble; they can turn into other types of cells.


Their adaptability makes them useful for repairing damaged tissue or organs.

"In [science fiction](#) when characters heal quickly from injuries, the idea is that stem cells allowed it," said UC Riverside mathematical biologist and study co-author Qixuan Wang.

"In real life, our new research gets us closer to understanding stem cell behavior, so that we can control it and promote wound healing," Wang said. This research is detailed in a recent *Biophysical Journal* article.

The liver and stomach regenerate themselves in response to wounds. However, Wang's team studied hair follicles because they're the only organ in humans that regenerates automatically and periodically, even without injury.

The researchers determined how a type of protein, TGF-beta, controls the process by which cells in hair follicles, including stem cells, divide and form new cells, or orchestrate their own death—eventually leading to the death of the whole hair follicle.



Cross section of a hair follicle. Credit: UCR

"TGF-beta has two opposite roles. It helps activate some hair follicle cells to produce new life, and later, it helps orchestrate apoptosis, the process of cell death," Wang said.

As with many chemicals, it is the amount that makes the difference. If the cell produces a certain quantity of TGF-beta, it activates [cell division](#). Too much of it causes apoptosis.

No one is entirely sure why follicles kill themselves. Some [hypotheses](#) suggest it is an inherited trait from animals shedding fur to survive hot summer temperatures or trying to camouflage.

"Even when a [hair follicle](#) kills itself, it never kills its stem cell reservoir. When the surviving stem cells receive the signal to regenerate, they divide, make new cell and develop into a new follicle," Wang said.

If scientists can determine more precisely the way TGF-beta activates cell division, and how the chemical communicates with other important genes, it might be possible to activate follicle [stem cells](#) and stimulate hair growth.

Because many animals, including humans, possess skin covered with hair, perfect wound healing would require regeneration of hair follicles. Being able to more precisely control levels of TGF-beta could also one day cure baldness, which bothers millions of people all over the world.

"Potentially our work could offer something to help people suffering from a variety of problems," Wang said.

More information: Katherine Dinh et al, A probabilistic Boolean model on hair follicle cell fate regulation by TGF- β , *Biophysical Journal* (2022). [DOI: 10.1016/j.bpj.2022.05.035](https://doi.org/10.1016/j.bpj.2022.05.035)

Provided by University of California - Riverside

Citation: The chemical controlling life and death in hair follicles (2022, July 25) retrieved 30 April 2024 from <https://phys.org/news/2022-07-chemical-life-death-hair-follicles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.