

Competitive advantage through fast dead matter elimination in confined cellular aggregates

July 18 2022



Credit: CC0 Public Domain

Biological organisms and tissues exhibit a constant turnover of cellular material; for instance, to maintain tissue integrity, in case of tumor growth, or for survival of bacterial communities. Intuitively, cell types which are able to proliferate the fastest or die less frequently in a given



environment will dominate the confined space within an organism or compartment. "However, these traditional factors do not remain the only ones determining competitive fitness, when taking into account also the debris left behind by dying cells," Ramin Golestanian, managing director at the MPI-DS says. In their study, the researchers from the department of Living Matter Physics showed that cell types being cleared out faster after death have an advantage that can make them the dominant species.

The scientists created a model to simulate growing cells filling a limited amount of space until <u>mechanical pressure</u> builds up and they reach a state in which division and cell death balance each other. "We wanted to find out what effect dead matter has on the growth of a living system. For this, we designed a simple model that is one of the first to explicitly consider the mechanical effects of dead cells," Yoav Pollack, first author of the study, says.

"We then analyzed two <u>cell types</u> differing exclusively in the deadmatter removal rate and tracked the proportion of both populations over time. To our excitement, we observed a clear impact on the overall fitness, leading to an advantage for the cell type whose dead cells are removed more quickly," he explains.

Making room for new cells

At first sight, the removal of dead material might seem disconnected from the formation of new cells—or even counterproductive as it opens up space for other species to invade. But the model shows that by clearing out debris faster, the amount of alive compared to dead cells increases. Overall, this results in a more responsive growth when a species is presented with opportunities for expansion. While this is of little consequence in a homogeneous cell population of the same type, it makes a difference at the interface where different cell types are competing for space. The population with the higher clear-out rate is



more likely to have a living cell in the vicinity available to fill vacated space through proliferation. In this way, the higher proportion of living cells gives a competitive advantage.

"In simplified terms, one could say that clearing out and occupying new space is more advantageous than holding on to already occupied space," says group leader Philip Bittihn. "In certain cases, this new contribution to competition might also explain why biological tissues and organisms evolved to use specific cell removal mechanisms; ones that are more efficient compared to the alternatives."

As this effect has now been described for the first time, it opens up several new lines of investigation, such as analyzing the extent to which it contributes to the overall fitness in relation to other fitness factors. Yet, the model demonstrates that cleaning up after yourself does indeed pay off for <u>cells</u>.

The research was published in the New Journal of Physics.

More information: Yoav G Pollack et al, A competitive advantage through fast dead matter elimination in confined cellular aggregates, *New Journal of Physics* (2022). DOI: 10.1088/1367-2630/ac788e

Provided by Max Planck Institute for Dynamics and Self-Organization

Citation: Competitive advantage through fast dead matter elimination in confined cellular aggregates (2022, July 18) retrieved 29 June 2024 from <u>https://phys.org/news/2022-07-competitive-advantage-fast-dead-confined.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.