

Using holograms to illuminate de Sitter space

July 20 2022



Concept drawing of de Sitter conformal field theory. Credit: Kyoto Uinversity / Tadashi Takayanagi

Our understanding of the universe may not be expanding as much as the universe itself. In some cases, our theories about cosmic inflation may feel as if they are deflating into a black hole.

Black holes, however, may be the exact analogy needed to mathematically approximate the universe's expansion. This may require some thinking outside of the box, or in this case, under a microscope.



Now emerging from Kyoto University's Yukawa Institute for Theoretical Physics is a novel approach that uses the <u>holographic principle</u> to describe the expanding universe in de Sitter space, which is an approximation of our current universe.

Holograms may conjure up images of interstellar video calls in sci-fi flicks, but for theoretical physicists they can also be mathematical, microscopic models encoding higher-dimensional information onto lower-dimensional surfaces. With entropy-filled <u>black holes</u>, scientists posit that information encoded on the event horizon is proportional to surface area, not to volume as in Euclidean geometry.

"To better understand the events following the Big Bang, we need a consistent theory of <u>quantum gravity</u>, and the de Sitter universe provides a solution to Einstein's general relativity equation with a positive cosmological constant," says author Tadashi Takayanagi.

This model, which excludes gravity, describes a two-dimensional framework approximating the expansion of our three-dimensional universe, enabling the authors to identify the first example of two-dimensional <u>conformal field theory</u> or CFT that typically utilizes a positive integer for the cosmological constant.

"A special feature of our proposed model is to use a negative cosmological constant to account for gravity on anti-de Sitter space," adds Takayanagi, "thus highlighting the importance of the holographic principle for de Sitter gravity."

While holography for anti-de Sitter space was first proposed in 1997, the results produced from the computational model demonstrated that basic quantities agreed between classical Einstein gravity and CFT.

The author concludes, "Quantum information theory has played an



essential role in black hole physics, raising expectations for a deeper understanding of the space-time structure of a higher-dimensional <u>universe</u>."

The study is published in *Physical Review Letters*.

More information: Yasuaki Hikida et al, Holography in de Sitter Space via Chern-Simons Gauge Theory, *Physical Review Letters* (2022). DOI: 10.1103/physrevlett.129.041601, journals.aps.org/prl/abstract/ ... ysRevLett.129.041601

Provided by Kyoto University

Citation: Using holograms to illuminate de Sitter space (2022, July 20) retrieved 16 June 2024 from <u>https://phys.org/news/2022-07-holograms-illuminate-de-sitter-space.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.