

New method boosts the study of regulation of gene activity

July 1 2022



Key steps in NT-seq: a chemical-based sequencing method for genomic methylome profiling. Credit: T. Wu.

One way cells can control the activities of their genes is by adding small chemical modifications to the DNA that determine which genes are turned on or off. Methyl groups are one of these chemical modifications or tags. Researchers have found that in bacteria DNA methylation plays a role in regulating virulence, reproduction and gene expression. In other organisms, including humans, DNA methylation is essential in regulating tissue-specific gene expression, which defines the nature of a cell, for instance, whether it would be a skin cell or a brain cell.



"The study of DNA methylation is part of the field of epigenetics. It is important because it helps us understand why one particular type of bacteria causes a more <u>severe disease</u> than another or how a normal cell can change and give rise to diseases, such as cancer," said corresponding author <u>Dr. Tao Wu</u>, assistant professor of <u>molecular and human genetics</u> at Baylor College of Medicine. The <u>Wu Lab</u> is a cancer epigenetics lab. Its long-term goal is to overcome cancer therapeutic resistance by better understanding the role of epigenetics in this disease.

In bacteria, there are three different forms of DNA methylation. The most common is one that tags the DNA base or building block adenine (N6-methyladenine or 6mA). The other two tag the DNA base cytosine (N4-methylcytosine or 4mC and 5-methylcytosine or 5mC). Although there are many methods to study DNA methylation, a few can efficiently map the three types simultaneously, Wu explained.

"It was thought that organisms other than bacteria, including mammals, mostly only used methyl-cytosine tags—the 5mC—to regulate gene activity. But in 2016, when I was at Yale University, we reported in *Nature* the discovery that DNA 6mA also is present in mammals," Wu said. "This finding opened a whole new set of possibilities in the study of cancer epigenetics."

The traditional methods to study the 5mC do not capture the adenine methylation in mammalian tissues. "This motivated us to develop a novel method to profile not only 6mA, but also 4mC and 5mC," Wu said.

In the current study, published in the journal <u>Genome Biology</u>, Wu and his colleagues report the development of a chemical-based sequencing method to quantify different epigenetic markers simultaneously. Their method, called NT-seq, short for nitrite treatment followed by <u>next-</u> <u>generation sequencing</u>, is a sequencing method for detecting multiple types of DNA methylation genome-wide. The method also can amplify



limited clinical samples, something other methods cannot do.

"We show that NT-seq can detect 6mA, 4mC and 5mC both in bacterial and non-bacterial cells, including mammalian <u>cells</u>," Wu said. "Compared to other methods, NT-seq is efficient, cost-effective, quicker and has high resolution. Some of its limitations are specific to the particular composition of some genomes. We have suggestions in the paper on how to compensate for this limitation."

"We are excited about NT-seq," Wu said. "It can uncover new DNA methylation patterns or motifs, validate results obtained with other methods, generate datasets for developing machine-learning tools for methylation analysis and paves the way to further the epigenetic study of genomic DNA 6mA in non-bacterial organisms, including studies on the epigenetics of cancer."

More information: Xuwen Li et al, NT-seq: a chemical-based sequencing method for genomic methylome profiling, *Genome Biology* (2022). DOI: 10.1186/s13059-022-02689-9

Provided by Baylor College of Medicine

Citation: New method boosts the study of regulation of gene activity (2022, July 1) retrieved 20 May 2024 from <u>https://phys.org/news/2022-07-method-boosts-gene.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.