

Study reveals 'spiteful' behaviour in bacteria

July 29 2022



Overview of birth-death model and main results. A) Diagram of the twodimensional birth-death process describing the dynamics of a bacterial population consisting of public good producers and cheaters. As an example, the population is shown with two producers and two cheaters. All possible subsequent states of the population are indicated, where a single producer or cheater can either arise through binary fission (with state-dependent rates λPr and λ Ch, respectively) or can die (with state-dependent rates μ Pr and μ Ch). See Eqs 1–4 for the full forms of the birth and death rates. B) Phase diagram describing the fitness gains of quorum sensing (QS) over always on (AO) producers, as a function of constitutive growth rate ($\lambda 0$) and public good production cost (c). For each pair ($\lambda 0$, c) we calculated the mean extinction time for all (n, m) pairs satisfying $n \ge 0$, $m \ge 0$, and $n + m \le 100$ with the QS and AO strategies. The reported number is the fraction of these (n, m) pairs for which the mean extinction time for QS is greater than for AO (). In the bottom right-hand region (dark blue) regulating public good production through QS decreases mean extinction time for all (n, m) pairs, meaning that the AO strategy decreases the



risk of population extinction. Here, QS is a destructive strategy. The upper region (yellow) is where QS increases the mean extinction time for all (n, m), a constructive strategy for the producers. The region labeled "mixed" indicates that QS increases mean extinction time for some (n, m) pairs while decreasing it for others. Credit: *PLOS Computational Biology* (2022). DOI: 10.1371/journal.pcbi.1010292

Bugged by freeloaders? You are not alone, and leeching off others is not just a human problem. In fact, it is not uncommon in the animal kingdom, where even some cheater species of bacteria exhibit such selfish behavior.

An even more fascinating fact was discovered by a York University-led research team that explored bacteria's <u>quorum-sensing</u> trait, a sophisticated form of co-operation, using which bacteria can regulate gene expression according to their population density.

Researchers from York University and Case Western Reserve University co-authored the study, Cheater suppression and stochastic clearance through quorum sensing, published today in *PLOS Computational Biology* journal, were surprised to find bacterial colonies might go to the extent of harming themselves just to get rid of freeloaders.

"We didn't expect to see this behavior, which you might even call 'spiteful," says Associate Professor Andrew Eckford of York U's Lassonde School of Engineering, and the study's senior author. "But it indicates that quorum sensing is a remarkably flexible tool for enforcing fairness."

For the study, researchers looked at how quorum sensing regulates the supply of shared resources, such as enzymes that break down a <u>food</u>



source into useful nutrients. When freeloaders take the nutrients without producing enzymes, they found the cheaters can be punished even though the entire community suffers—much like canceling a banquet when an uninvited guest sneaks in. And if freeloading is rampant and no other food is available, quorum sensing can starve the whole community.

"It's costly for a bacterium to contribute to the community, so for a selfish individual, it's best to simply take what's offered without giving anything back," explains lead author Alex Moffett, who was a York U postdoctoral fellow at the time of the study. "But obviously this is bad for everyone, so the community needs a way to discourage bad behavior."

Moffett and his colleagues found that instead of relying on the honor system, these microorganisms used quorum sensing to suppress the freeloaders. To further understand how quorum sensing compares to other strategies for controlling production of public goods, they used mathematical modeling.

"Our model captures both how likely 'cheater' strains—which do not produce <u>public goods</u> but benefit from them—are to take over a population and how long on average the population will last before going extinct," says co-author Peter J Thomas, professor of mathematics, applied mathematics and statistics at Case Western Reserve University, Cleveland, Ohio.

As quorum sensing plays an important role in <u>bacterial infection</u> such as the <u>lung infections</u> that affect sufferers of cystic fibrosis, the research team hopes to apply results of this study to understand and disrupt such diseases. "This will help us understand how bacteria can colonize the lungs so effectively, which might point the way to new treatments," adds Moffett.



More information: Alexander S. Moffett et al, Cheater suppression and stochastic clearance through quorum sensing, *PLOS Computational Biology* (2022). DOI: 10.1371/journal.pcbi.1010292

Provided by York University

Citation: Study reveals 'spiteful' behaviour in bacteria (2022, July 29) retrieved 8 May 2024 from <u>https://phys.org/news/2022-07-reveals-spiteful-behaviour-bacteria.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.