

Data-driven discovery of NbOI₂ as a high performance layered piezoelectric

August 5 2022




Figure shows (left) the sheet piezoelectric stress tensor elements computed for 2,940 different materials in their monolayer form. The maximum sheet piezoelectric stress tensor elements, e_{ij} , are plotted on a log scale in units of 10^{-10} C/m (radial axis), according to the space group (crystal structure) classification for the materials (angular axis). (Right) the atomic structure of NbOX₂ (X = Cl, Br, I) shows a non-symmetry in the x-direction. Credit: *Nature Communications* (2022). DOI: 10.1038/s41467-022-29495-y

Piezoelectric materials can convert mechanical energy to electrical energy, and vice versa. In recent years, there has been growing interest in the search for two-dimensional (2D) layered piezoelectrics. Such layered van der Waals piezoelectrics are particularly useful for niche applications such as actuators with atomic-scale precision and wearable sensors. In addition, 2D piezoelectrics can function as nanoscale power generators for nanoscale devices.

The discovery of 2D piezoelectrics has mostly been on an ad hoc basis. A systematic search through a 2D materials database is required to uncover 2D materials which are most suited for use as piezoelectrics. The research team led by Associate Professor Quek Su Ying from the Department of Physics, National University of Singapore, performed such a systematic search through a database of 2,940 layered van der Waals materials using high-throughput first principles calculations. Of the 2,940 materials, the team identified 109 materials that exhibit piezoelectric effects in the single layer form. Among these materials, about 10 of them are found to have exceptionally large piezoelectric coefficients with the highest being those for NbOI₂. Materials with high piezoelectric coefficients generally give better piezoelectric performance.

The excellent piezoelectric performance of NbOI₂ is reflected in its predicted electromechanical coupling factor, which has the maximum possible value of unity in this material. The research team isolated few-layer NbOI₂ crystals and performed laser scanning vibrometer studies on bulk and few-layer NbOI₂ crystals to measure their piezoelectric response. They found that NbOI₂ displayed a piezoelectric response that is much larger than [reference materials](#) in both the bulk and few-layer samples.

NbOI₂ belongs to a family of niobium oxydihalides (NbOX₂: X = Cl, Br, I) which have large piezoelectric coefficients. The researchers made a

more detailed study of this material family and found that NbOX_2 has an intrinsic ferroelectric polarization as its [crystal structure](#) is not symmetrical in the x-direction). Interestingly, the piezoelectric coefficients are the largest for NbOI_2 , while the ferroelectric polarization is largest for NbOCl_2 .

Prof Quek said, "The class of NbOX_2 materials has great potential for applications. Our work showed that one of its members, NbOI_2 , had the best piezoelectric performance among the 2,940 materials in our study. Furthermore, we found that its [piezoelectric](#) performance is independent of thickness. This is unlike other 2D piezoelectrics such as [molybdenum disulfide](#), where the piezoelectricity is not present when there is an even number of layers. The thickness-independence of piezoelectricity in NbOX_2 is useful for practical applications where the control of the material thickness may be particularly challenging."

More information: Yaze Wu et al, Data-driven discovery of high performance layered van der Waals piezoelectric NbOI_2 , *Nature Communications* (2022). [DOI: 10.1038/s41467-022-29495-y](https://doi.org/10.1038/s41467-022-29495-y)

Provided by National University of Singapore

Citation: Data-driven discovery of NbOI_2 as a high performance layered piezoelectric (2022, August 5) retrieved 19 April 2024 from <https://phys.org/news/2022-08-data-driven-discovery-nboi2-high-layered.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.