

Fruit fly study reveals a thermometer brain circuit promoting midday siesta on hot days

August 17 2022, by Win Reynolds





Graphical abstract. Credit: *Current Biology* (2022). DOI: 10.1016/j.cub.2022.07.060

On the hottest summer days, you may find yourself dozing off in the middle of the day. In some parts of the world, it's a cultural norm to schedule "siestas" and shutter businesses during the warmest hours of the day. As it turns out, biology, not just culture, may be behind this.

Temperature affects the span of human behavior, from eating and activity levels to <u>sleep-wake cycles</u>. We may have a harder time sleeping in the summer and be slow to get out of bed on colder mornings. But the link between <u>sensory neurons</u> and neurons that control this cycle are not understood completely.

Northwestern University neurobiologists have found a few clues about what's happening. In a new study, published today (Aug. 17) in the journal *Current Biology*, researchers found that <u>fruit flies</u> are preprogrammed to take a nap in the middle of the day. A follow-up to their paper that identified a brain thermometer only active in <u>cold weather</u>, the new paper explores a similar "thermometer" circuit for hot temperatures.

"Changes in temperature have a strong effect on behavior in both humans and animals, and offer animals a cue that is time to adapt to the changing seasons," said Marco Gallio, associate professor of neurobiology in the Weinberg College of Arts and Sciences. "The effect of temperature on sleep can be quite extreme, with some animals deciding to sleep off an entire season—think of a hibernating bear—but the specific brain circuits that mediate the interaction between temperature and sleep centers remain largely unmapped."



Gallio led the study and said fruit flies are a particularly good model to study big questions like "why do we sleep?" and "what does sleep do for the brain?" because they don't attempt to disrupt instinct in the same way humans do when we pull all-nighters, for example. They also allow researchers to study the influence of external cues like light and temperature on cellular pathways.

Cells that stay on longer

The paper is the first to identify "absolute heat" receptors in a fly head, which respond to temperatures above about 77 degrees Fahrenheit—the fly's favorite temperature. As it turns out, the common laboratory fruit fly (Drosophila) has colonized nearly the entire planet by forming a close association with humans. Not surprisingly, its favorite temperature also matches that of many humans.

Just as they expected based on the results of their previous paper on cold temperature, researchers found that brain neurons receiving information about heat are part of the broader system that regulates sleep. When the hot circuit, which runs parallel to the cold circuit, is active, the <u>target</u> cells that promote midday sleep stay on longer. This results in an increase in midday sleep that keeps flies away from the hottest part of the day.

The study was enabled by a 10-year initiative that produced the first completed map of neural connections in an animal (a fly), called the connectome. With the connectome, researchers have access to a computer system that tells them all possible brain connections for each of the fly's ~100,000 brain cells. However, even with this extremely detailed road map, researchers still need to figure out how information in the brain goes from point A to B. This paper helps fill that gap.

The different circuits for hot versus <u>cold temperatures</u> make sense to



Gallio because "hot and cold temperatures can have quite different effects on physiology and behavior," he said. This separation may also reflect evolutionary processes based on heat and cold cycles of the Earth. For example, the possibility that <u>brain</u> centers for sleep may be directly targeted in humans by a specific sensory circuit is now open to be investigated based on this work.

Next steps

Next, Gallio's team hopes to figure out the common targets of the cold and hot circuit, to discover how each can influence sleep.

"We identified one neuron that could be a site of integration for the effects of hot and cold temperatures on sleep and activity in Drosophila," said Michael Alpert, the paper's first author and a post-doctoral researcher in the Gallio lab. "This would be the start of interesting follow-up studies."

Gallio added that the team is interested in looking at the long-term effects of <u>temperature</u> on behavior and physiology to understand the impact of global warming, looking at how adaptable species are to change.

"People may choose to take an afternoon nap on a hot day, and in some parts of the world this is a cultural norm, but what do you choose and what is programmed into you?" Gallio said. "Of course, it's not culture in flies, so there actually might be a very strong underlying biological mechanism that is overlooked in humans."

More information: Michael H. Alpert et al, A thermometer circuit for hot temperature adjusts Drosophila behavior to persistent heat, *Current Biology* (2022). DOI: 10.1016/j.cub.2022.07.060



Dominic D. Frank et al, Early Integration of Temperature and Humidity Stimuli in the Drosophila Brain, *Current Biology* (2017). <u>DOI:</u> <u>10.1016/j.cub.2017.06.077</u>

Provided by Northwestern University

Citation: Fruit fly study reveals a thermometer brain circuit promoting midday siesta on hot days (2022, August 17) retrieved 2 May 2024 from <u>https://phys.org/news/2022-08-fruit-reveals-thermometer-brain-circuit.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.