

Lungless salamanders develop lungs as embryos despite lung loss in adults for millions of years

August 17 2022



Hemidactylium scutatum larvae, lungless salamander native to eastern North America. Credit: Zachary R. Lewis

Lungs are essential to many vertebrates including humans. However, four living amphibian clades have independently eliminated pulmonary respiration and lack lungs, breathing primarily through their wet skin. Little is known of the developmental basis of lung loss in these clades.

In a new study in *Science Advances* researchers in the Department of Organismic and Evolutionary Biology and the Museum of Comparative Zoology at Harvard University examined the Plethodontidae, a dominant family of salamanders, all of which are lungless as adults, and find they actually do develop lungs as embryos shedding light on the evolution of [lung](#) loss over millions of years.

The lungless salamander family Plethodontidae is the most species-rich family of salamanders accounting for more than two-thirds of existing salamander diversity. All adult plethodontids are lungless, breathing entirely through nonpulmonary tissues, mainly the skin and the mucus membranes in the mouth and throat. Lung loss has occurred independently at least four times among distantly related amphibians and there are other instances of lung reduction or loss in both amphibians and some vertebrates. The developmental reason for this loss, however, remains a mystery.

"Clearly lungless salamanders do fine without lungs given that they make up about two-thirds of all salamander species," said lead author Zachary R. Lewis, former doctoral candidate (Ph.D. '16), "perhaps losing lungs enabled, rather than hindered, this remarkable evolutionary success."

This study builds on Lewis's doctoral work in senior author Professor James Hanken's lab. Lewis, Hanken, and co-author Associate Professor Ryan Kerney, Gettysburg College, employed histology and micro-CT to examine the morphology of lung development in both lung and lungless salamanders. They found that lungless salamanders begin developing lungs as embryos in much the same way as species with lungs develop

them. The researchers then used in situ hybridization and RNA-sequencing to show that the structure that forms during lungless salamander [embryonic development](#) resembles a lung not just morphologically, but also in terms of the molecules expressed.

The researchers hypothesize that lung development ceases in these species due to a lack of cues that maintain lung development which arise from the tissue, mesenchyme, that surrounds the lung as it develops.

"We put mesenchyme from a salamander with lungs into a lungless salamander embryo and allowed it to develop," said Lewis, "it resulted in the formation of structures that resemble lungs, offering some evidence that lungless salamanders remain capable of continuing to develop lungs."

The study also confirms Amy Grace Mekeel's 1936 [doctoral thesis](#) that challenged the leading theory put forth by biologists that the slight fold in the adult pharynx is a vestigial lung which persisted since the initial lung loss of the plethodontids. Mekeel described a "lung rudiment" that formed in the embryo, but was lost by the time it hatched.

"The lung precursor appears and disappears before the lungless salamander embryos hatch, just as Mekeel described," said Kerney, "this work vindicates Mekeel's earlier thesis and lays the initial adult vestige hypothesis to rest."

The study reveals that lung developmental-genetic pathways are at least partially conserved despite the absence of functional adult lungs for at least 25 and possibly exceeding 60 million years. Understanding the evolution of lung loss in Plethodontidae could also shed light on organ loss in other vertebrates.

"In the future, if these genetic mechanisms are revealed, we will have a

more complete understanding of how evolution acts to do away with an organ such as the lung, which was long thought critical to achieving life on land," said Lewis who is currently a scientist with NanoString Technologies.

More information: Zachary R. Lewis et al, Developmental basis of evolutionary lung loss in plethodontid salamanders, *Science Advances* (2022). [DOI: 10.1126/sciadv.abo6108](https://doi.org/10.1126/sciadv.abo6108).
www.science.org/doi/10.1126/sciadv.abo6108

Provided by Harvard University

Citation: Lungless salamanders develop lungs as embryos despite lung loss in adults for millions of years (2022, August 17) retrieved 20 March 2024 from
<https://phys.org/news/2022-08-lungless-salamanders-lungs-embryos-lung.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--