


Using math proofs, experiments and simulations to show how a material wrinkles when flattened

August 26 2022, by Bob Yirka



Wrinkling of confined shells. Wrinkle patterns result when initially curved shells are confined nearby a plane. a,b, Simulations and experiments of square cutouts from a saddle (a) and a sphere (b) show domains of robustly ordered wrinkles, alongside a more disorderly response in the spherical case (central diamonds in b). We present a coarse-grained theory to predict the type and layout of such wrinkle domains. c, Coarse-graining wrinkles. A point $(x, p(x))$ in the initial shell is displaced along the plane by u and out of the plane to a height w . The coarse-grained fields u_{eff} and $w_{\text{eff}} = 0$ express a theoretical limit in which the shell is infinitesimally wrinkled and perfectly confined. Credit: *Nature Physics* (2022). DOI: 10.1038/s41567-022-01672-2

A team of researchers from the University of Illinois at Chicago, Syracuse University and the University of Pennsylvania, has developed a

means for showing how a certain piece of material wrinkles after it has been flattened. In their paper published in the journal *Nature Physics*, the group describes experiments they conducted with tiny pieces of plastic.

Prior research has shown that it is difficult to understand the rules of wrinkling for almost any material—there are just too many variables involved to get a handle on it. In this new effort, the researchers sought to understand how wrinkling works in a single material as it wrinkles in a controllable setting.

The work followed up on work done by Ian Tabasco, a mathematician at the University of Illinois Chicago. He developed a theory centered on the [energy costs](#) involved when a material wrinkles. To test his theories, the researchers first created simulations of material responses to prodding in ways described by Tabasco's math formulas. However, they found that a simulated environment was not workable, so they set up a real-world testing scenario.

They placed thin, flat pieces of plastic on a curved glass surface and then spun it, which made the plastic even thinner as it took on the shape of the curved glass. Then, they placed the curved plastic pieces on a wet surface and watched as the water tension forced the plastic to wrinkle. They then used data from the wrinkles that developed to fine-tune the simulations and found that doing so repeatedly led to the generation of rules that described how wrinkles appeared and behaved.

The researchers found, for example, wrinkles forming in rows instead of on the edges of a patch were dependent on the shape of the piece of plastic just prior to the formation of wrinkles. They also found that they were able to predict where [wrinkles](#) would appear in a given piece of plastic if they split up the [plastic](#) area into many small subunits. Under such conditions, they found Tabasco's calculations could be used to describe the types of ripples that would appear and lead to wrinkling.

More information: Ian Tobasco et al, Exact solutions for the wrinkle patterns of confined elastic shells, *Nature Physics* (2022). [DOI: 10.1038/s41567-022-01672-2](https://doi.org/10.1038/s41567-022-01672-2)

© 2022 Science X Network

Citation: Using math proofs, experiments and simulations to show how a material wrinkles when flattened (2022, August 26) retrieved 1 February 2023 from <https://phys.org/news/2022-08-math-proofs-simulations-material-wrinkles.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.