

Space invaders: Radiata pine spread more widely in NZ than previously thought

August 26 2022



Credit: Forest & Kim Starr, CC BY 3.0 US , via Wikimedia Commons

Radiata pine (*Pinus radiata*, or Monterey pine) is native to North

America, where it is narrowly distributed along the Californian coast, but is one of the most widely planted tree species in the southern hemisphere. It had naturalized in New Zealand by 1904.

At present, radiata pine is by far the largest contributor to New Zealand's forestry industry, comprising 90% of the total plantation area. It supplies most domestic wood products, and is the third largest export earner, contributing around 3% of GDP.

In a recent paper published in the journal *Biological Invasions*, lead author Dr. Peter Bellingham of Manaaki Whenua—Landcare Research and colleagues reassessed the prevailing view, stemming from the late 1980s, that radiata pine is only a minor invasive species in New Zealand. Thirty years on, the researchers undertook the first comprehensive review of where invasive radiata pine occurs in New Zealand, and evaluated whether [climatic conditions](#) are suitable for radiata pine to invade nationally.

The modeling showed that up to 76% of the land area of New Zealand is climatically capable of supporting radiata populations—only the very coldest and wettest areas are unsuitable. Plot and site data from the National Vegetation Survey database showed that radiata pine occurs far more widely across New Zealand than previously appreciated. It has invaded grasslands and shrublands, but also some forests. It has invaded ecosystems mostly below 1000 m altitude, including revegetating landslides, down to sea level, where it was historically planted to stabilize sand dunes.

Notably, it has often invaded areas of lower-statured vegetation, and at least three classes of naturally uncommon ecosystems: geothermal; gumlands; and inland cliffs, scarps, and tors. Because of its rapid growth rates and its flammability, it is likely to alter naturally uncommon ecosystems, and it is likely to drastically alter forest regeneration.

The researchers conclude that greater emphasis is needed both on managing current radiata pine invasions and proactively preventing future invasions. Although management of invasive radiata [pine](#) is already widespread in New Zealand and other [southern hemisphere](#) countries, more proactive planning is needed given ongoing large-scale afforestation efforts and potential future increases in invasion. The researchers suggest that a levy on economic uses of invasive species to offset costs of managing invasions, alongside stricter regulations to protect vulnerable [ecosystems](#), could help to prevent or avert the future negative impacts of those invasions.

More information: P. J. Bellingham et al, The right tree in the right place? A major economic tree species poses major ecological threats, *Biological Invasions* (2022). [DOI: 10.1007/s10530-022-02892-6](https://doi.org/10.1007/s10530-022-02892-6)

Provided by Manaaki Whenua - Landcare Research

Citation: Space invaders: Radiata pine spread more widely in NZ than previously thought (2022, August 26) retrieved 23 June 2024 from <https://phys.org/news/2022-08-space-invaders-radiata-widely-nz.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.