


A superconducting diode without an external magnetic field

August 17 2022



Trilayer graphene is a promising platform for the superconducting diode effect.
Credit: Mathias Scheurer

Superconductors are the key to lossless current flow. However, the realization of superconducting diodes has only recently become an important topic of fundamental research. An international research team involving the theoretical physicist Mathias Scheurer from the University of Innsbruck have now succeeded in reaching a milestone: the realization of a superconducting diode effect without an external magnetic field, thus proving the assumption that superconductivity and magnetism coexist. They report on this in *Nature Physics*.

One speaks of a superconducting diode effect when a material behaves like a superconductor in one direction of current flow and like a resistor in the other. In [contrast](#) to a conventional diode, such a superconducting diode exhibits a completely vanishing resistance and thus no losses in the forward direction. This could form the basis for future lossless quantum electronics. Physicists first succeeded in creating the diode effect about two years ago, but with some fundamental limitations. "At that time, the effect was very weak and it was generated by an external magnetic field, which is very disadvantageous in potential technological applications," explains Mathias Scheurer from the Institute of Theoretical Physics at the University of Innsbruck.

The new experiments carried out by experimental physicists at Brown University, described in the current issue of *Nature Physics*, do not require an external magnetic field. In addition to the aforementioned application-relevant advantages, the experiments confirm a thesis previously theorized by Mathias Scheurer: Namely, that superconductivity and magnetism coexist in a system consisting of three [graphene layers](#) twisted against each other. The system thus virtually generates its own internal magnetic field, creating a diode effect.

"The diode effect observed by colleagues at Brown University was additionally very strong. Moreover, the diode direction can be reversed by a simple electric field. Together, this makes trilayer [graphene](#) such a promising platform for the superconducting diode effect," clarifies Mathias Scheurer, whose research focuses on two-dimensional materials, especially graphene.

Promising material graphene

The diode effect described in *Nature Physics* was also produced with graphene, a material consisting of a single layer of carbon atoms arranged in a honeycomb pattern. Stacking several layers of graphene

leads to completely new properties, including the ability of three graphene layers twisted against each other to conduct [electric current](#) without loss.

The fact that a superconducting diode effect exists without an [external magnetic field](#) in this system has great implications for the study of the complex physical behavior of twisted [trilayer graphene](#), as it demonstrates the coexistence of superconductivity and magnetism. This shows that the [diode](#) effect not only has technological relevance, but also has the potential to improve our understanding of fundamental processes in many-body physics.

More information: Jiang-Xiazi Lin et al, Zero-field superconducting diode effect in small-twist-angle trilayer graphene, *Nature Physics* (2022). [DOI: 10.1038/s41567-022-01700-1](https://doi.org/10.1038/s41567-022-01700-1)

Provided by University of Innsbruck

Citation: A superconducting diode without an external magnetic field (2022, August 17) retrieved 11 May 2024 from <https://phys.org/news/2022-08-superconducting-diode-external-magnetic-field.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.