

Tropical and desert grasses may migrate further south

August 23 2022, by Lee Gaskin



Ecologists take grass samples at Coffin Bay National Park on the Eyre Peninsula as part of the research into the climate factors that determine that type of native grass that grows in a region. Credit: University of Adelaide.



The maximum summer temperature and the amount of rainfall in summer are the two climate factors that determine the type of native grass that grows in a region, Australian researchers have found in a recent study.

A rise in <u>global temperatures</u> due to a change in climate may lead to tropical and desert grasses growing in <u>different environments</u>, which could have an impact on animals that rely on it as a food source.

"If you imagine all the species in a habitat as blocks stacked in a giant Jenga tower, grass and other plants are the blocks at the very bottom of the tower," said Dr. Samantha Munroe, lead author of the research published in *PLOS ONE* and an ecologist at the University of Adelaide and the Terrestrial Ecosystem Research Network (TERN).

"If you take out the bottom blocks, the whole thing might collapse."

"Understanding which environmental factors influence grass growth patterns is essential to safeguarding the long-term health of our native ecosystems."

Warm-season grasses grow in hot, tropical or desert climates like northern and central Australia, while temperate or cool-season grasses primarily grow in southern Australia.

The researchers analyzed data on the distribution of grass species collected from more than 800 plant surveys conducted across the country by the TERN Australia monitoring network.

"We found that warm-season grasses are more abundant in hotter climates that received more rainfall in summer, usually where maximum summer temperatures are above 33 degrees," Dr. Munroe said.



"In contrast, temperate grasses were more abundant in cooler habitats with maximum summer temperatures before 30 degrees and most of their rainfall in the winter."

"The hotter the summer temperature, or the more rain that falls in the <u>summer</u> compared to winter, the more widespread tropical and desert grasses will be."

"Tropical grasses can be less nutritious than temperate grasses, so if the type of grass that grows suddenly changes, all the species further up the food chain will be affected."

"It could cause a <u>domino effect</u> that changes the kinds of insects, reptiles and mammals we see in different parts of the country."

Co-author Dr. Francesca McInerney, Senior Research Fellow at the University of Queensland, added, "The next step is to create models that can predict how the distribution of these distinct <u>grass</u> types will change over the next 10 to 50 years under different climate change scenarios."

More information: Samantha E. M. Munroe et al, Plant families exhibit unique geographic trends in C4 richness and cover in Australia, *PLOS ONE* (2022). DOI: 10.1371/journal.pone.0271603

Provided by University of Adelaide

Citation: Tropical and desert grasses may migrate further south (2022, August 23) retrieved 23 June 2024 from <u>https://phys.org/news/2022-08-tropical-grasses-migrate-south.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.