

Browse, graze, mate: Food and company help animals in captivity

September 27 2022



Credit: CC0 Public Domain

From tongue-rolling alpacas to irritable yaks and perturbed pigs, new research has lifted the lid on why some farm and zoo animals cope well with captivity and others display signs of stress.

Researchers from universities in Aberystwyth and Portsmouth have



published the first large-scale study to identify which <u>species</u> of hoofed animals, known as ungulates, are better suited to captive environments, and which require better husbandry if kept in captivity.

Around the world, over 5 billion of these large, hoofed animals, such as giraffes, horses, and pigs, are kept as livestock and in zoos and safari parks. This makes them some of the world's most commonly kept animals.

Published in the journal *Proceedings of the Royal Society B: Biological Sciences*, the study looked at the behavior of over 15,000 individual animals across 38 ungulate species and found that the type of food species eaten and their mating strategy were linked to the risk of stress symptoms.

Specifically, species most at risk from stress-related habits are browsers (those that eat high-growing woody vegetation), such as camels, okapis and rhinos, or are promiscuous, like buffalos, yaks, sheep and pigs.

A species' behavioral needs are those they perform to both survive and reproduce in the wild. If these behaviors are restricted by captivity, it can lead to poor <u>welfare</u> and repetitive, unusual behaviors, known as "stereotypic" behaviors, often seen in farm and zoo animals. This study shows which particular behavioral needs should be prioritized in order to avoid stereotypic behaviors and provide good welfare for ungulates.

The academics also concluded that animals in captivity that do not have constant access to food are highly prone to <u>behavioral problems</u>.

Study co-author Dr. Sebastian McBride from Aberystwyth University said, "Our data suggest that features of both a species' wild behavioral biology and <u>captive husbandry</u> are predictive of these stereotypic behaviors in ungulates. This research has very important implications for



how these large, hoofed animals are kept in captivity—we now have a better understanding of which species are most susceptible to stress in captivity and how we can tackle this problem to improve the welfare of those animals."

Co-author Dr. Leanne Proops from the University of Portsmouth said, "This study uses a new method that enables us to better predict how well species that may be rare or understudied will cope in captivity. We found that for ungulates, having the right food and <u>social organization</u> is crucial for their welfare. Whereas for carnivores, having enough space in captivity seems to be key. This shows the importance of understanding the specific needs of different groups of species."

Study co-author Kate Lewis from the University of Portsmouth said, "As a society, we need to continue to question and examine the <u>environmental factors</u> that are important to animals if we are to maximize their welfare. There are lessons here for both farmers and zoos about how best to raise and treat livestock."

Provided by University of Portsmouth

Citation: Browse, graze, mate: Food and company help animals in captivity (2022, September 27) retrieved 9 May 2024 from https://phys.org/news/2022-09-browse-graze-food-company-animals.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private



study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.