


Evolution and ecological competition of multicellular life cycles

September 14 2022, by Michael Hesse



Volvox daughter colonies within a Volvox mother colony. Credit: Frank Vox

New studies by the Max Planck Institute for Evolutionary Biology show that competition between different evolutionary developmental stages of multicellular life cycles can be important for the development of an

entire population. Without direct competition, only the growth rate of a population determines which life cycle prevails.

Ecological competition, on the other hand, can lead to the selection of completely different [life cycles](#).

The evolution of [multicellular organisms](#) is a central process in the course of the origin of life. In most cases, an organism is multicellular for only part of its life cycle: the simplest multicellular life cycle consists of the growth of the germ cell into a colony and its splitting into [single cells](#) to produce new germ cells.

So far, most [theoretical models](#) assume that selection between life cycles is driven by internal properties of multicellular groups, leading to growth competition. At the same time, however, the influence of interactions between groups on the evolution of life cycles is rarely considered.

Vanessa Ress (University of Hamburg), Arne Traulsen (Max Planck Institute for Evolutionary Biology, Plön) and Yuriy Pichugin (Princeton University, U.S.) now present a new model that takes into account the ecological competition between the individual life cycles—a project that started in Vanessa Ress' master's thesis supervised by Dr. Pichugin.

The model shows that the result of evolution can be coexistence between several life cycles, which would be impossible without competition. Likewise, the research shows that models that neglect this competition can capture short-term dynamics but fail to predict evolution at the population level.

Multicellular organisms such as animals, plants, fungi or red and brown algae are often formed by their cells staying together after [cell division](#)—unlike unicellular species where the cells separate before the next division. Organisms must, however, reproduce, otherwise their species

will become extinct. For a multicellular organism, this means that some cells must migrate to develop into a new individual.

The combination of growth and reproduction of an organism forms a clonal [life cycle](#). The emergence of clonal multicellular life cycles was the central innovation in the earlier stages of multicellularity evolution. There, characteristics that do not exist at all in unicellular species become crucial to the long-term success of even the most primitive cell colony. These include the number of cells in the colony, the frequency with which cells migrate to form new colonies, the size of the germ cells released and the number of germ cells produced.

Since reproduction, and thus the fitness of simple cell colonies, depends on these characteristics, they are immediately subject to [natural selection](#), which favors some life cycles over others.

Since complex multicellular life descends from these simple cell colonies, understanding the evolution of primitive life cycles is crucial for understanding the evolution of complex organisms.

The research was published in *eLife*.

More information: Vanessa Ress et al, Eco-evolutionary dynamics of clonal multicellular life cycles, *eLife* (2022). [DOI: 10.7554/eLife.78822](https://doi.org/10.7554/eLife.78822)

Provided by Max Planck Society

Citation: Evolution and ecological competition of multicellular life cycles (2022, September 14) retrieved 4 April 2024 from <https://phys.org/news/2022-09-evolution-ecological-competition-multicellular-life.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.