

Intriguing material property found in complex nanostructures could dissipate energy

September 13 2022



Unique defects in a 3D material. Credit: The University of Texas at Austin / North Carolina State University

Researchers from The University of Texas at Austin and North Carolina



State University have discovered, for the first time, a unique property in complex nanostructures that has thus far only been found in simple nanostructures. Additionally, they have unraveled the internal mechanics of the materials that makes this property possible.

In a new paper published this week in the *Proceedings of the National Academy of Sciences*, the researchers found these properties in oxidebased "nanolattices," which are tiny, hollow materials, similar in structure to things like sea sponges.

"This has been seen before in simple nanostructures, like a nanowire, which is about 1,000 times thinner than a hair," said Yong Zhu, a professor in the Department of Mechanical and Aerospace Engineering at NC State, and one of the lead authors on the paper. "But this is the first time we've seen it in a 3D <u>nanostructure</u>."

The phenomenon in question is called anelasticity. It relates to how materials react to <u>stresses</u> over time. When the materials studied in this paper were bent, tiny defects moved slowly in response to the stress gradient. When the stress was released, the tiny defects slowly returned to their initial positions, resulting in the anelastic behavior.

The researchers also discovered that when these defects move back and forth, they unlock energy dissipation characteristics. This means they can dissipate things like pressure wave and vibration.

The material could someday serve as a <u>shock absorber</u>, but because it's so lightweight and thin, it would be on a very small scale. The researchers say it could make sense as part of chips for electronics or other integrated electronic devices.

"You could potentially put this material under the semiconductor chips and protect them from outside impact or vibration," said Chih-Hao



Chang, an associate professor in the Walker Department of Mechanical Engineering at UT Austin.

Now that these anelastic characteristics have been discovered, the next step is to control them. The researchers will examine the geometry of the nanostructures and experiment with different loading conditions to see how to optimize the anelastic performance for energy dissipation applications.

Team members from UT Austin included Chang and I-Te Chen, a former Ph.D. student. Team members from NC State included Zhu, Felipe Robles Poblete and Abhijeet Bagal, both former Ph.D. students.

More information: I-Te Chen et al, Anelasticity in thin-shell nanolattices, *Proceedings of the National Academy of Sciences* (2022). DOI: 10.1073/pnas.2201589119

Provided by University of Texas at Austin

Citation: Intriguing material property found in complex nanostructures could dissipate energy (2022, September 13) retrieved 17 May 2024 from <u>https://phys.org/news/2022-09-intriguing-material-property-complex-nanostructures.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.