

Researchers find novel 'nano killers' for sterilization and antifouling

September 5 2022, by Li Yuan




Fig. 1 (A) Schematic illustration of the continuous anaerobic bactericidal mechanism via physical extraction and chemical oxidation; (B) PMS and H₂O adsorption on (001) surface of SVs-MoS₂. Credit: IOCAS

Sulfate-reducing bacteria (SRB), an anaerobic bacterium, has long been considered the main culprit in causing corrosion failure of metal

materials.

Previous studies usually used nanozymes as antibacterial materials. However, nanozymes rely on H_2O_2 , O_2 , superoxide and [hydroxyl radicals](#) to produce [reactive oxygen species](#), which hinders its utilization in anoxic environments.

Recently, a research team led by Prof. Zhang Dun from the Institute of Oceanology of the Chinese Academy of Sciences (IOCAS) has found that a MoS_2 nanosheets-based vacancy material activated by permonosulfate enables efficient anaerobic microorganisms disinfection.

The study was published in *Journal of Hazardous Materials* on August 9.

The researchers constructed a rapid and efficient anaerobic bacterial sterilization system with MoS_2 nanosheets via the synergistic effect between physical damage and chemical oxidation.

For [physical damage](#), the negative sulfur of MoS_2 can easily bond with hydrophilic heads of lipids, and the edges of MoS_2 can act as a "knife" to cut through the [cell membrane](#).

Based on density functional calculations, the researchers found that MoS_2 nanosheets could catalyze permonosulfate and H_2O to produce oxidation active species (OAS). These OAS could be visualized as "nano killers," which constantly oxidize the lipids around MoS_2 , re-release the surface of the "sharp knife," and cause cell death.




Fig. 2 The scheme of the collaboration of physical pierce and chemical injury of MoS₂ nanosheets. Credit: IOCAS

"With the collaboration of physical injury and chemical elimination, MoS₂ features highly exposed [active sites](#) and tunable S vacancies, constructing a platform for boosting the generation of 'nano killers.' The increased production of these free radicals coupled with their close contact with bacteria enabled rapid and stable sterilization in various environments," said Wang Jin, first author of the study.

"This work will open new horizons on anaerobic bactericidal mechanisms and innovative disinfection strategies," said Prof. Zhang.

The process of physical extraction in collaboration with chemical oxidation not only precisely positions the cell membrane but also allows for continuous sterilization. "This work digs into the mechanism of

anaerobic bacterial sterilization, which sheds light on biological analysis, antibacterial, [cancer therapy](#), and anti-microbiologically influenced corrosion," said Prof. Wang Yi, the corresponding author of the study.

More information: Jin Wang et al, "Nano Killers" Activation by permonosulfate enables efficient anaerobic microorganisms disinfection, *Journal of Hazardous Materials* (2022). [DOI: 10.1016/j.jhazmat.2022.129742](#)

Provided by Chinese Academy of Sciences

Citation: Researchers find novel 'nano killers' for sterilization and antifouling (2022, September 5) retrieved 3 May 2024 from <https://phys.org/news/2022-09-nano-killers-sterilization-antifouling.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--