


# Near-threshold resonance helps explain a controversial measurement of exotic decay in beryllium-11

September 28 2022



The emission of a proton from the exotic neutron-halo nucleus beryllium-11. A narrow resonance in beryllium-11 suggests its proton emission is a two-step process (red arrows), not an exotic process (black arrow). The inset shows the

resonance's location. Credit: John D. Fox Laboratory, Florida State University

Most mass in everyday matter around us resides in protons and neutrons inside the atomic nucleus. However, the lifetime of a free neutron—one not bounded to a nucleus—is unstable, decaying by a process called beta decay. For neutrons, beta decay involves the emission of a proton, an electron, and an anti-neutrino. Beta decay is a common process.

However, scientists have some significant uncertainties about the neutron lifetime and about the neutron decaying inside a nucleus that leads to a proton emission. This is called beta-delayed proton emission. There are only a few neutron-rich nuclei for which beta-delayed proton emission is energetically allowed. The radioactive nucleus beryllium-11 ( $^{11}\text{Be}$ ), an isotope that consists of 4 [protons](#) and 7 [neutrons](#), with its last neutron very weakly bound, is among those rare cases. Scientists recently observed a surprising large beta-delayed proton decay rate for  $^{11}\text{Be}$ . Their work is published in *Physical Review Letters*.

The discovery of an exotic near-threshold [resonance](#) that favors proton decay is a key for explaining the beta-delayed proton decay of  $^{11}\text{Be}$ . The discovery is also a remarkable and not fully understood manifestation of quantum many-body physics. Many-body physics involves interacting [subatomic particles](#). While scientists may know the physics that apply to each particle, the complete system can be too complex to understand.

The observation of a near-threshold resonance in  $^{11}\text{B}$  is key in explaining the large value of the beta-delayed proton decay of  $^{11}\text{Be}$ . The results point to a two-step process and away from more exotic explanations such as a dark matter decay channel. Understanding this state helps scientists narrow down theories of unstable nuclear systems. It also raises questions about the nature of this decay process including physics

beyond the standard model.

Since  $^{11}\text{Be}$  is a radioactive neutron-rich nuclei, nuclear physicists did not expect it to decay via proton radioactivity. The large value observed for the beta-delayed proton decay in  $^{11}\text{Be}$  prompted speculations on the nature of the decay including exotic processes outside the standard model. An alternative explanation needed the existence of an unobserved, very narrow resonance in  $^{11}\text{B}$ .

Physicists at the John D. Fox Accelerator Laboratory at Florida State University, using a radioactive  $^{10}\text{Be}$  beam in a measurement of the  $^{10}\text{Be}(d,n)$  reaction, observed a narrow proton-decaying resonance in  $^{11}\text{B}$ . This result supports evidence that the beta-delayed proton decay of  $^{11}\text{Be}$  is actually a sequential two-step process where a near-threshold resonance in  $^{11}\text{B}$  is populated first in a [beta decay](#) with a subsequent proton emission. The position of the resonance and its decay properties is a unique case highlighting complex quantum many-body physics of unstable systems.

**More information:** E. Lopez-Saavedra et al, Observation of a Near-Threshold Proton Resonance in  $^{11}\text{B}$ , *Physical Review Letters* (2022).  
[DOI: 10.1103/PhysRevLett.129.012502](https://doi.org/10.1103/PhysRevLett.129.012502)

Provided by US Department of Energy

Citation: Near-threshold resonance helps explain a controversial measurement of exotic decay in beryllium-11 (2022, September 28) retrieved 13 July 2024 from <https://phys.org/news/2022-09-near-threshold-resonance-controversial-exotic-beryllium-.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.