


Plastic degradation in the ocean contributes to its acidification

September 20 2022



Graphical abstract. Credit: *Science of The Total Environment* (2022). DOI: 10.1016/j.scitotenv.2022.158683

A new study led by the Institut de Ciències del Mar (ICM-CSIC) in Barcelona has revealed that plastic degradation contributes to ocean acidification via the release of dissolved organic carbon compounds from both the plastic itself and its additives.

"Thanks to this study we have been able to prove that in highly [plastic](#)-polluted ocean surface areas, plastic degradation will lead to a drop of up to 0.5 pH units, which is comparable to the pH drop estimated in the worst anthropogenic emissions scenarios for the end of the 21st century," points out Cristina Romera-Castillo, ICM-CSIC researcher and first author of the study, which has been published this week in the

journal *Science of the Total Environment*.

Acidification and [plastic pollution](#) are two of the major problems facing the ocean today. Since the [industrial revolution](#), the increase in ocean acidity has made it more difficult for some calcifying organisms, such as corals, to maintain their skeletons. Every year up to 13 million tons of plastic reach the sea.

The acidification process

The sun's ultraviolet light is the main factor producing plastic degradation and aging. This degradation results in fractures that cause the plastic to break into smaller pieces, some less than 5 millimeters, better known as microplastics.

When exposed to sunlight and erosion, the plastic is "aged", and its degradation degree depends on how long it has been exposed to these conditions. This exposure results in an increased release of chemical compounds into the water and causes a lowering of its pH.

The [chemical compounds](#) released by the plastic into the seawater during its degradation can come from the plastic itself or can be additives that are added to the polymer to give it color or resistance, among other characteristics. Some of these compounds are [organic acids](#), which explains why they contribute to the pH drop.

However, plastic degradation also produces CO₂ that can be emitted directly by the plastic, or be a product of the reactions that sunlight triggers in the [organic compounds](#) released by this material. In turn, this released CO₂ is involved in a series of reactions that also cause a pH drop.

Differences between new and old plastic

To carry out the study, researchers exposed different types of plastic (new and aged) to a constant temperature and solar radiation. They then analyzed the water pH and the amount of dissolved organic carbon released by microplastics as a result of their degradation.

With only six days of exposure to sunlight, a mixture of aged plastics collected from beaches released a large amount of dissolved [organic carbon](#) compounds and a significant decrease in water pH was observed. By contrast, experiments using new polystyrene, low-density polyethylene (LDPE)—from which bags and other packaging are made—and biodegradable plastic fragments did not show a substantial drop in pH with the exception of expanded polystyrene.

"These results show that aged plastic affects acidification much more than new plastic, which is very worrying, since most of the plastic found in the sea, whatever type it is, is degraded," concludes Romera-Castillo.

More information: Cristina Romera-Castillo et al, Abiotic plastic leaching contributes to ocean acidification, *Science of The Total Environment* (2022). [DOI: 10.1016/j.scitotenv.2022.158683](https://doi.org/10.1016/j.scitotenv.2022.158683)

Provided by Institut de Ciències del Mar (ICM-CSIC)

Citation: Plastic degradation in the ocean contributes to its acidification (2022, September 20) retrieved 11 May 2024 from <https://phys.org/news/2022-09-plastic-degradation-ocean-contributes-acidification.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is

provided for information purposes only.