

Seasonal regulation in the bean bug brain's biological clock



Brain glutamate dynamics photoperiodically change based on the circadian clock gene and mediate the cellular response of oviposition-promoting neurons. Credit: 2022, Masaharu Hasebe and Sakiko Shiga, Clock-gene-dependent glutamate dynamics in the bean bug brain regulate photoperiodic reproduction, *PLOS*



Biology

Not only does organism's body have a biological clock that can tell the time of the day, it can also tell the time of the year. Researchers from Japan have found that one capable little molecule may be behind the mechanism by which the biological clock keeps track of the seasons.

In a study that was recently published in *PLOS Biology*, researchers from Osaka University reveal that <u>glutamate</u> signaling is responsible for the seasonal regulation of reproduction in bean bugs by genes involved in maintaining circadian rhythm.

The circadian rhythm is driven by a <u>biological clock</u> that controls body processes based on time of day. A related process is photoperiod sensitivity, or seasonal regulation, in which <u>body processes</u> are regulated on a seasonal basis based on the length of the daytime and nighttime periods.

"Previous studies have shown that <u>circadian clock genes</u> are involved not only in regulating daily processes, but also in regulating seasonal events, such as reproduction in insects," states Masaharu Hasebe, first author on the study. "However, the mechanism governing this interaction was unclear."

To address this, the researchers focused on glutamate, a neurotransmitter that is involved in transmitting a wide variety of signals in the brains of many animals, from invertebrates to mammals. Using bean bugs, a convenient model of circadian clock-related seasonal rhythms, a brain glutamate level was assessed in different photoperiodic conditions related to the seasonal reproductive cycle and in response to interference with circadian clock genes.





Brain glutamate levels are significantly high under short days. Credit: 2022, Masaharu Hasebe and Sakiko Shiga, Clock-gene-dependent glutamate dynamics in the bean bug brain regulate photoperiodic reproduction, *PLOS Biology*

"The results were very clear," explains Sakiko Shiga, senior author of the study. "Extracellular glutamate levels in the whole brain were significantly higher under short-day conditions than under long-day conditions, and knocking down the clock gene period abolished this difference."

Directly reducing or increasing glutamate levels in bean bug brains also decreased season-specific changes in reproductive status. In addition, reducing or increasing glutamate levels disrupted the photoperiodic responses of pars intercerebralis neurons, which typically change their



<u>neural activity</u> seasonally and promote egg laying.

"Our results show that extracellular glutamate dynamics are regulated by clock genes and play an essential role in the photoperiodic control of reproduction," says Hasebe.

Given that glutamate is widely used for neurotransmission in animals, from insects to mammals, the findings from this study have implications beyond bean bug biology. It is possible that further studies investigating this newly discovered mechanistic link between the <u>circadian clock</u> and photoperiod regulation will advance our understanding of seasonal adaptation in a wide range of animals.

The article, "Clock-gene-dependent glutamate dynamics in the bean bug brain regulate photoperiodic reproduction" was published in *PLOS Biology*.

More information: Clock-gene-dependent glutamate dynamics in the bean bug brain regulate photoperiodic reproduction, *PLoS Biology* (2022). DOI: 10.1371/journal.pbio.3001734

Provided by Osaka University

Citation: Seasonal regulation in the bean bug brain's biological clock (2022, September 6) retrieved 26 June 2024 from <u>https://phys.org/news/2022-09-seasonal-bean-bug-brain-biological.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.