


Examining how urbanization induces changes in invasive toad populations

September 7 2022



Urbanization causes rapid changes in invasive toads

Parotoid gland sizes of urban populations were significantly smaller than those in rural populations, whereas body mass did not differ. Leg lengths of urban males were longer than those of rural males, but urban females had shorter legs than rural females. These results demonstrate that urbanization causes morphological changes in invasive toads. Credit: Hirotaka Komine, Yamagata University



Biodiversity is increasingly diminished by humanity's many impacts, one major aspect of which is urbanization. Although there are a lot of studies reporting that urbanization influences wildlife population sizes and distributions, we are only beginning to study urbanization as an evolutionary force. Urban environments are also hotspots for invasive species, which can cause significant economic and ecological damage. In addition, invasive species provide an evolutionary laboratory in which we can study the effects of urbanization.

Cane toads are invasive in Australia, and Assistant Professor Hirotaka Komine with the Tokyo University of Agriculture and Technology (Current affiliation: Yamagata University) along with colleagues from Australia's James Cook University, wanted to find out whether the urban environment had impacts on the morphology of these toads. They hypothesized that toads may have fewer predators in urban environments compared to "country" or peri-<u>urban environments</u>, and that this may mean that urban toad antipredator defenses were less well developed.

They published their findings in the *Biological Journal of the Linnean Society*.

They captured 419 adult toads in 3 Queensland Australian towns: Townsville, Cairns and Mackay, within city limits, and then ventured to surrounding rural areas of each city. They measured these toads' parotoid glands, which contain strong toxins for anti-predator defense, as well as leg length and mass.

The researchers found parotoid gland sizes were significantly smaller in urban toads compared to those in rural populations, although body mass was not different. Interestingly, leg lengths of urban males were longer than those of rural males, but the legs of urban females were shorter than rural females.



Thus, <u>urbanization</u> caused reduced anti-predator defenses in invasive toads, and also increased <u>sexual dimorphism</u> in leg length. Invasive toads were introduced to Australia in 1935, so these morphological changes may have occurred rapidly. Without genetic work, we do not know if these changes are a phenotypically plastic response, or genetically encoded, but in either case they seem adaptive.

"This invasive species could apparently adapt rapidly to the urban environment," said conservation biologist Hirotaka Komine. "Phenotypic changes in <u>invasive species</u> could enhance their invasiveness, so these findings are not only interesting for <u>evolutionary biologists</u>, but could also be valuable for conservation of native ecosystems."

The researchers added that further studies are needed to reveal the underlying mechanism driving these morphological changes and to clarify whether these changes were evolutionary or phenotypic changes.

More information: Hirotaka Komine et al, The country toad and the city toad: comparing morphology of invasive cane toads (Rhinella marina) from rural and urban environments, *Biological Journal of the Linnean Society* (2022). DOI: 10.1093/biolinnean/blac100

Provided by Tokyo University of Agriculture and Technology

Citation: Examining how urbanization induces changes in invasive toad populations (2022, September 7) retrieved 12 September 2024 from <u>https://phys.org/news/2022-09-urbanization-invasive-toad-populations.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.