


# Study opens door to new class of slippery, water-loving surfaces

October 10 2022, by Matt Shipman



PEG Brush



Water Molecule

0 sec at 3° tilt



10 sec at 3° tilt



Researchers have demonstrated that engineered surfaces can be hydrophilic—meaning they have a strong affinity for water—and yet extremely slippery. The work runs counter to conventional wisdom regarding the development of slippery materials, and suggests a new area of research for the field.

"This finding is counter-intuitive, since the longstanding view has been that slippery surfaces tend to be hydrophobic—they repel water," says Arun Kumar Kota, corresponding author of a paper on the work and an associate professor of mechanical and aerospace engineering at North Carolina State University.

"But we've now demonstrated a way to engineer the surface of materials that makes them both very slippery and hydrophilic, or SLIC, surfaces. We have some specific applications where we think this may be useful, but this is essentially an unexplored class of surfaces. A lot of work needs to be done to fully understand the scope of potential applications."

"We've also articulated exactly how these SLIC surfaces can be designed, so that other researchers can expand what appears to be a very promising field," Kota says.

Previous ways of engineering a [solid surface](#) to make it slippery tended to take one of three approaches. One approach was to texture the material to trap a layer of air against the surface, with that air pocket serving as a lubricant. The second approach was to texture the surface and trap a layer of liquid lubricant against the material that would allow it to slide past other liquids or solids. In both of these cases, damage to the texture of the surfaces due to repeated use makes them less slippery.

Similarly, the loss of the gaseous or liquid lubricants over time also makes them less slippery.

The third approach has been to uniformly attach molecules to smooth, solid surfaces. This combination of uniformity and smoothness allows liquids to slide easily against the surface. "However, the vast majority of the molecules used to create these slippery surfaces are hydrophobic, because the longstanding view has been that slippery surfaces tend to be hydrophobic—so that's what researchers have focused on," Kota says.

For example, think of a non-stick pan. The surface is hydrophobic, so if you pour a small amount of water on the pan, the water is repelled by the surface and forms a relatively round bead. The surface is also slippery, so that bead of water slides off.

But being slippery and being hydrophobic aren't the same thing. SLIC surfaces show that something can be hydrophilic and slippery. If you pour water onto a slippery, hydrophilic surface, two things happen. One, the water will have strong affinity for the surface, so it spreads out into a flattish bead. Two, because the surface is also slippery, that flattish bead of water will slide off without a trace.

"There have been very few papers over the years that have touched on hydrophilic, slippery surfaces, and this area has really been overlooked," Kota says. "This new work demonstrates that hydrophilic, slippery substances work, and lays out the physics behind how it works."

There are two types of applications the researchers are particularly excited about: biomedical technologies and condensers.

For biomedical applications, the researchers would like to take advantage of the anti-fouling properties of SLIC surfaces. In short, it is particularly difficult for proteins to stick to SLIC surfaces.

"Proteins cover almost the entire surface of both conventional hydrophilic materials and slippery, hydrophobic materials in about a minute," Kota says. "We've demonstrated that, even after 30 hours, virtually no proteins are able to adsorb on a SLIC surface."

"This is useful in many ways," Kota says. "For example, this resistance to protein adsorption would make it more difficult for undesirable bacteria to grow on a surface, could significantly reduce blood clotting on biomedical implants, and so on."

As for condensers, many technologies—such as [air conditioners](#) and [power plants](#)—have condenser components. These components have a cool surface on which water vapor condenses. On conventional hydrophilic surfaces, the condensed water forms a film—which effectively serves as an insulator for the condenser surface, reducing its efficiency. On slippery, hydrophobic surfaces the water vapor will slowly form beads on the surface and then slide off.

"But on a SLIC surface, the hydrophilic nature of the surface allows [water vapor](#) to condense more quickly, and the slippery nature of the surface means that water still slides off easily—making the condensers more efficient," Kota says.

"No pun intended, but we're really just scratching the surface of what might be possible with SLIC surfaces."

The research is published in *Matter*.

**More information:** Hamed Vahabi et al, Designing non-textured, all-solid, slippery hydrophilic surfaces, *Matter* (2022). [DOI: 10.1016/j.matt.2022.09.024](#)

Provided by North Carolina State University

Citation: Study opens door to new class of slippery, water-loving surfaces (2022, October 10)  
retrieved 25 April 2024 from

<https://phys.org/news/2022-10-door-class-slippery-water-loving-surfaces.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.