

## **Researchers propose ectomycorrhizal fungi's** role be integrated into carbon accounting

October 3 2022



A schematic presentation of the below-ground contribution to the carbon balance of the vegetation-ectomycorrhizae (ECM) system. The boxes represent dynamic carbon storages and the solid arrows represent fluxes. The dashed arrows indicate impacts. Credit: *Forest Ecology and Management* (2022). DOI: 10.1016/j.foreco.2022.120355

A new study led by the University of Helsinki provides evidence that the observed decline of carbon use efficiency and net ecosystem exchange from south to north in the boreal forest may be caused by the abundance of ectomycorrhizal fungi.



The proposed approach could easily be included in carbon balance models for quantifying ectomycorrhizal <u>fungi</u> carbon use without having to engage in more complex analysis of carbon and nutrient interactions underlying ectomycorrhizal fungi processes.

"The results of the study underline the need for a better understanding of the role of micro-organisms as users of carbon but also as a machinery generating carbon residues that may have longer lifespans," says the first author of the study Annikki Mäkelä from the Faculty of Agriculture and Forestry, University of Helsinki.

The study suggests that this approach can improve prediction of biomass growth across different soils with different microbial composition.

## More accurate prediction of biosphere carbon sinks

According to researchers these features of ectomycorrhizal fungi as carbon consumers and litter producers should also be incorporated into global vegetation models in order to have more precise and accurate prediction of biosphere carbon sinks and their feedbacks to climate change.

Carbon use efficiency, i.e., the ratio between net and gross primary production, describes the efficiency of vegetation to accumulate photosynthetic carbon to biomass. Other uses of carbon include maintenance and construction respiration. In this study, <u>ectomycorrhizal</u> <u>fungi</u> were included as additional consumers of plant-originating <u>carbon</u>.

The research was published in Forest Ecology and Management.

**More information:** Annikki Mäkelä et al, Do mycorrhizal symbionts drive latitudinal trends in photosynthetic carbon use efficiency and carbon sequestration in boreal forests?, *Forest Ecology and Management* 



## (2022). DOI: 10.1016/j.foreco.2022.120355

## Provided by University of Helsinki

Citation: Researchers propose ectomycorrhizal fungi's role be integrated into carbon accounting (2022, October 3) retrieved 6 May 2024 from <u>https://phys.org/news/2022-10-ectomycorrhizal-fungi-role-carbon-accounting.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.