

Researchers find 1 million-year-old marine DNA in Antarctic sediment

October 5 2022



Credit: Thomas Ronge

A new study led by the University of Tasmania—with the participation of the University of Bonn—discovered the oldest marine DNA in deepsea sediments of the Scotia Sea north of the Antarctic continent. The material could be dated to one million years. Such old material demonstrates that sedimentary DNA can open the pathway to study long-



term responses of ocean ecosystems to climate change. This recognition will also help with assessing current and future change of marine life around the frozen continent. The study appeared in the journal *Nature Communications*.

Antarctica is one of the most vulnerable regions to climate change on Earth. Studying the past and present responses of the polar marine ecosystem to environmental and climate change is therefore critical and urgent. Sedimentary ancient DNA (sedaDNA) analysis is a new technique that helps decipher "who" has lived in the ocean in the past and "when." Also, times of major changes in composition can be related to changes in climate. Such knowledge can help us to make predictions about how marine life around Antarctica is going to respond to ongoing and future climate change.

An international team used sedaDNA to investigate changes in marine organism structures in the Scotia Sea over the last 1 million years, using sediments acquired during IODP Expedition 382 "Iceberg Alley and Subantarctic Ice and Ocean Dynamics" in 2019. First, the team undertook extensive contamination control to ensure that sedaDNA signals are authentic, including, for example, the investigation of characteristic age-related damage patterns in the recovered DNA fragments. They were able to detect ancient DNA as old as one million years.





Derrick - JOIDES RESOLUTION derrick with drill pipe. Credit: Michael Weber

"This comprises by far the oldest authenticated marine sedaDNA to date," explained Dr. Linda Armbrecht, the lead investigator from the University of Tasmania, Australia. Amongst the detected organisms were diatoms as key primary producers whose DNA was detected back to half a million years.

The data also shows that diatoms were consistently abundant during warm climatic periods. The last such change in the food web of the Scotia Sea occurred about 14,500 years ago. "This is an interesting and important change that is associated with a word-wide and rapid increase in sea levels and massive loss of ice in Antarctica due to natural



warming," added Dr. Michael Weber, second author of the study from the University of Bonn. The warming apparently caused in increase in ocean productivity around Antarctica.

The study demonstrates that marine sedaDNA analyses can be expanded to hundreds of thousands of years, opening the pathway to the study of ecosystem-wide marine shifts and changes to paleo-productivity throughout many ice-age cycles. These periods of natural <u>climate change</u> can also give insight into the current and future human-induced <u>climate</u> warming and how the ecosystem might respond to it.

More information: Linda Armbrecht et al, Ancient marine sediment DNA reveals diatom transition in Antarctica, *Nature Communications* (2022). DOI: 10.1038/s41467-022-33494-4

Provided by University of Bonn

Citation: Researchers find 1 million-year-old marine DNA in Antarctic sediment (2022, October 5) retrieved 3 May 2024 from https://phys.org/news/2022-10-million-year-old-marine-dna-antarctic-sediment.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.