

30,000 near-Earth asteroids discovered, and numbers are rising

October 13 2022



Artist's impression of asteroid 21 Lutetia. Credit: ESA - C. Carreau

We have now discovered 30,039 near-Earth asteroids in the solar

system—rocky bodies orbiting the sun on a path that brings them close to Earth's orbit. The majority of these were discovered in the last decade, showing how our ability to detect potentially risky asteroids is rapidly improving.

An [asteroid](#) is called a near-Earth asteroid (NEA) when its trajectory brings it within 1.3 Astronomical Units (au) of the sun. 1 au is the distance between the sun and Earth, and so NEAs can come within at least 0.3 au, 45 million km, of our planet's orbit.

Currently, near-Earth asteroids make up about a third of the roughly one million asteroids discovered so far in the solar system. Most of them reside in the [asteroid belt](#) between Jupiter and Mars.

Asteroids have been cataloged by astronomers for more than two centuries since the very first asteroid, Ceres, was discovered in 1801 by Giuseppe Piazzi. The first near-Earth asteroid, (433) Eros, was discovered nearly one hundred years later, on 13 August 1898.

The roughly 30 km Eros asteroid was discovered by Carl Gustav Witt and Felix Linke at the Urania Observatory in Berlin and independently by Auguste Charlois at the Nice Observatory. The stony asteroid's orbit brings it to within around 22 million km of Earth—57 times the distance of the Moon.

Not only is Eros the first known NEA, but the first asteroid to be orbited by a spacecraft and the first to have a spacecraft land on it. Early calculations of the space rock's orbit also enabled a precise determination of the then imperfectly known distance between the sun and Earth.

How to un-Earth a near-Earth asteroid

Naturally, large asteroids were discovered first as they are so much easier to see. They were thought of as minor planets, a term still used today. As telescopes get more sensitive, we are finding many more and at a great rate, even those down to tens of meters in size.

Ground-based survey telescopes such as the Catalina Sky Survey in Arizona, in the United States, discover new asteroids every week. They are designed to scan large sections of the sky, looking for new objects moving in front of the backdrop of "motionless" stars.

More focused, large telescopes, such as the European Southern Observatory's Very Large Telescope (VLT), can then be used for follow-up observations, helping us better understand a "new" asteroid's path, size and even composition.

Gaia, ESA's space observatory on a mission to catalog one billion stars in the galaxy, has also helped us better understand the asteroid risk.

"Because of Gaia, we know more about the stars in the galaxy which act as a backdrop to asteroid observations," explains Tineke Roegiers, [community support](#) for the Gaia mission.

"Asteroid's positions are obtained against these background stars, so, the better one knows where the stars are, the more precisely the orbits of asteroids can be computed."


With the use of "Gaia's stars," even the orbits of already-known near-Earth asteroids have been improved, and some asteroids that were "lost" were found again.

ESA's asteroid risk list

"Of course, any asteroid discovered near Earth qualifies as a near-Earth

asteroid, but many are found far from home," explains Marco Micheli, Astronomer at ESA's Near-Earth Object Coordination Center.

"New objects are observed over time, their movements are studied and with just a handful of data points from different nights their future positions can be predicted. Depending on the number and quality of observations, this can extend decades, even hundreds of years into the future."



These images represent radar observations of asteroid 99942 Apophis on March 8, 9, and 10, 2021, as it made its last close approach before its 2029 Earth encounter that will see the object pass our planet by less than 325,000 kilometres. NASA Deep Space Network's Goldstone Deep Space Communications Complex near Barstow, California, and the Green Bank Telescope in West Virginia used radar to precisely track Apophis' motion, gathering data that rules out any chance of Earth impact for at least a century. Credit: NASA/JPL-Caltech and NSF/AUI/GBO


ESA's Near-Earth Object Coordination Center (NEOCC) in ESRIN, Italy, is home to the Agency's asteroid experts and risk assessors. The team activates its network of telescopes around the globe to get observations of new asteroids discovered and determine their impact risk, while also chasing up "old" asteroids that haven't yet been deemed safe.

Currently, 1,425 asteroids with a "non-zero" chance of impact are under their watchful eye, organized in the NEOCC's Asteroid Risk List which is constantly updated and freely available for anyone to see. You can even sign up to ESA's monthly "Asteroid Newsletter," and the asteroid news will come direct to you.

Will any of these asteroids strike Earth?

Currently, none of the near-Earth asteroids discovered so far are a concern, for at least one hundred years. Some of the smaller objects will and do impact Earth—but the most common are also the smallest and have little effect, except for creating trails of shooting stars as they burn up in the night sky.

When it comes to large and potentially devastating asteroids larger than 1 km across and above, the majority have been discovered and none show an impact risk for at least a century. For those that could impact later, we have plenty of time to study them and prepare a deflection mission.



As part of the global effort to hunt out risky celestial objects such as asteroids and comets, ESA is developing an automated telescope for nightly sky surveys. This telescope is the first in a future network that would completely scan the sky and automatically identify possible new near-Earth objects, or NEOs, for follow up and later checking by human researchers. The telescope, nicknamed 'Flyeye', splits the image into 16 smaller subimages to expand the field of view, similar to the technique exploited by a fly's compound eye. Such fly-eyed survey telescopes provide a very large field of view: $6.7^\circ \times 6.7^\circ$ or about 45 square degrees. 6.7° is about 13 times the diameter of the moon as seen from the Earth (roughly 0.5°). In the telescope, a single mirror of 1 m equivalent aperture collects the light from the entire $6.7^\circ \times 6.7^\circ$ field of view and feeds a pyramid-shaped beam splitter with 16 facets. The complete field of view is then imaged by 16 separate cameras that contain 16 detectors. The tubes contain a set of secondary lenses. In mid-2014, ESA signed a contract for about €1 million with a consortium led by CGS S.p.A (Italy), comprising Creotech Instruments S.A. (Poland), SC EnviroScopY SRL (Romania) and Pro Optica S.A. (Romania) for the detailed design of the advanced telescope. The first Flyeye telescope is

expected to be ready for installation at its final location on Mount Mufara in Sicily at the end of 2019. Credit: ESA/A. Baker

The current priority are the medium-sized asteroids a few hundred meters in diameter. Many are still out there, waiting to be discovered, and at smallish sizes they're not quite as easy to find.

"The good news is that more than half of today's known near-Earth asteroids were discovered in the last six years, showing just how much our asteroid eyesight is improving," explains Richard Moissl, ESA's Head of Planetary Defense.

"As this new 30,000 detection milestone shows, and as new telescopes and methods of detection are built, it's only a matter of time until we've found them all."

Provided by European Space Agency

Citation: 30,000 near-Earth asteroids discovered, and numbers are rising (2022, October 13) retrieved 15 July 2024 from <https://phys.org/news/2022-10-near-earth-asteroids.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.