

## 'Sea monsters' were real millions of years ago: New fossils tell about their rise and fall

October 8 2022, by Nicholas R. Longrich



Thalassotitan teeth. Credit: Nicholas Longrich

Sixty six million years ago, sea monsters really existed. They were mosasaurs, huge marine lizards that lived at the same time as the last dinosaurs. Growing up to 12 meters long, mosasaurs looked like a Komodo dragon with flippers and a shark-like tail. They were also wildly diverse, evolving dozens of species that filled different niches. Some ate fish and squid, some ate shellfish or ammonites.



Now <u>we've found a new mosasaur</u> preying on large marine animals, including *other* mosasaurs.


The new species, <u>Thalassotitan atrox</u>, was dug up in the Oulad Abdoun Basin of Khouribga Province, an hour outside Casablanca in Morocco.

At the end of the Cretaceous period, <u>sea levels were high</u>, flooding much of Africa. Ocean currents, driven by the trade winds, pulled nutrient-rich bottom waters to the surface, creating a <u>thriving marine ecosystem</u>. The seas were full of fish, attracting predators—the mosasaurs. They brought their own predators, the giant Thalassotitan. Nine meters long and with a massive, 1.3 meter-long head, it was the deadliest animal in the sea.

Most mosasaurs had long jaws and small teeth to catch fish. But Thalassotitan was built very differently. It had a short, wide snout and strong jaws, shaped like those of a killer whale. The back of the skull was wide to attach large jaw muscles, giving it a powerful bite. The anatomy tells us this mosasaur was adapted to attack and tear apart <u>large</u> <u>animals</u>.

The massive, conical teeth <u>resemble the teeth of orcas</u>. And the tips of those teeth are chipped, broken and ground down. This heavy wear—not found in fish-eating mosasaurs—suggests Thalassotitan damaged its teeth biting into the bones of marine reptiles like plesiosaurs, sea turtles and other mosasaurs.





Thalassotitan size.

At the same site we've found what look like the fossilized remains of its victims. The rocks producing Thalassotitan skulls and skeletons are full of partially digested bones from mosasaurs and plesiosaurs. The teeth of these animals, including those of half-meter skull from a long-necked plesiosaur, have been partially eaten away by acid. That suggests they were killed, eaten and digested by a large predator, which then <u>spat up</u> the bones. We can't prove Thalassotitan ate them, but it fits the profile of the killer, and nothing else does, making it the prime suspect.

Thalassotitan, sitting at the top of the food chain, also tells a lot about



ancient marine food chains, and how they evolved in the Cretaceous.

## **Evolution of a killer**

The discovery of Thalassotitan tells us about marine ecosystems just before the asteroid hit 66 million years ago, ending the age of the dinosaurs.

Thalassotitan was just one of a dozen mosasaur species living in the waters off of Morocco. Mosasaurs made up a fraction of all the thousands of species living in the oceans, but the fact that predators were so diverse implies that lower levels of the food chain were diverse too, for the oceans to be able to feed them all. This means that the marine ecosystem wasn't in decline before the asteroid hit.

Instead, mosasaurs and other animals—plesiosaurs, giant <u>sea turtles</u>, ammonites, countless species of fish, mollusks, sea urchins, crustaceans—flourished, then died out suddenly when the <u>10-kilometer</u> wide Chicxulub asteroid slammed into the earth, launching dust and soot into the air, and blocking out the sun. Mosasaur extinction wasn't the predictable result of gradual environmental changes. It was the unpredictable result of a sudden catastrophe. Like a <u>lightning strike</u> from a clear blue sky, their end was swift, final, unpredictable.





Thalassotitan skull.

But mosasaur evolution may also have started with a catastrophe. Curiously, the evolution of the giant carnivorous mosasaurs resembles that of another family of predators—the Tyrannosauridae. The giant T. rex evolved on land at about the same time that mosasaurs became top



predators in the seas. Is that a coincidence? Maybe not.

Both mosasaurs and <u>tyrannosaurs start to diversify</u> and become larger at the same time, around 90 million years ago, in the <u>Turonian stage of the</u> <u>Cretaceous</u>. This followed major extinctions <u>on land</u> and <u>in the sea</u> around 94 million years ago, at the Cenomanian-Turonian boundary.

These extinctions are associated with extreme global warming—a "supergreenhouse" climate—driven by <u>volcanoes releasing C02</u> into the atmosphere. In the aftermath, <u>giant predatory plesiosaurs</u> disappeared from the seas and <u>giant allosaurid predators</u> were wiped out on land. With predator niches left vacant, mosasaurs and tyrannosaurs moved into the top predator niche. Although they were wiped out by a <u>mass</u> <u>extinction</u>, Thalassotitan and T. rex only evolved in the first place because of a mass extinction.

## The bigger they are, the harder they fall

Top predators are fascinating because they're big, dangerous animals. But their size and position at the top of the food chain also make them vulnerable. You have fewer animals as you move up the food chain. It takes many small fish to feed a big fish, many big fish to feed a small mosasaur, and many small mosasaurs to feed one giant <u>mosasaur</u>. That means top predators are rare. And apex predators need lots of food, so they're in trouble if the food supply is disrupted.

If the environment deteriorates, dangerous predators can quickly become endangered species.

It's this sensitivity to environmental change that makes predators like Thalassotitan so interesting for studying extinction. They suggest being a top predator is a risky evolutionary strategy. Over short timescales, evolution drives the evolution of larger and larger predators. Their size



means they can compete for and take down prey. But over long timescales, specialization for the apex <u>predator</u> niche increases vulnerability to disasters. Eventually, a mass extinction wipes the top predators out, and the cycle starts again.

This article is republished from <u>The Conversation</u> under a Creative Commons license. Read the <u>original article</u>.

Provided by The Conversation

Citation: 'Sea monsters' were real millions of years ago: New fossils tell about their rise and fall (2022, October 8) retrieved 23 April 2024 from <u>https://phys.org/news/2022-10-sea-monsters-real-millions-years.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.