


Superaerophobic polyethyleneimine hydrogels improve electrochemical hydrogen production by promoting bubble detachment

October 25 2022



The scheme for a mechanism of bubble-detachment. a) Normal flat electrode, b)

the problems of adhered bubbles, and c) various approaches for the removal of gas bubbles. In (a), R , ρ , g , and λ indicate the dimension of bubbles, the density of a solution, gravitational acceleration constant, and surface tension of a solution, respectively. Credit: UNIST

A research team affiliated with UNIST recently reported that the performance of electrodes for an alkaline hydrogen evolution reaction (HER) can be significantly improved even without expensive electrocatalysts and complicated processes by modifying them with superaerophobic polymeric hydrogels. This breakthrough has been led by Professor Jungki Ryu and his research team in the Department of Energy Engineering at UNIST.

In this study, the research team reported a simple strategy to enhance the efficiency of electrochemical hydrogen production by imparting superaerophobicity to an underlying [electrode](#) with porous polymeric hydrogels. Superaerophobic hydrogels were readily coated on target substrates by cross-linking polyethyleneimine (PEI) via Schiff-base condensation reactions followed by freeze-drying, noted the research team.

As a result, they could readily control the [pore size](#), [porosity](#), and superaerophobicity of the hydrogel-coated electrodes by varying the concentrations of PEI upon cross-linking. Due to facile removal of as-generated hydrogen bubbles, the NF electrode modified with PEI [hydrogel](#) only outperformed those modified with expensive electrocatalysts especially at high current densities, according to the research team.

"We believe that our results can pave the way for the practical application of water electrolysis by providing insights into the design of

electrodes and electrolyzers," noted the research team.

This study has been published in *Advanced Energy Materials*.

More information: Misol Bae et al, Superaerophobic Polyethyleneimine Hydrogels for Improving Electrochemical Hydrogen Production by Promoting Bubble Detachment, *Advanced Energy Materials* (2022). [DOI: 10.1002/aenm.202201452](https://doi.org/10.1002/aenm.202201452)

Provided by Ulsan National Institute of Science and Technology

Citation: Superaerophobic polyethyleneimine hydrogels improve electrochemical hydrogen production by promoting bubble detachment (2022, October 25) retrieved 11 July 2024 from <https://phys.org/news/2022-10-superaerophobic-polyethyleneimine-hydrogels-electrochemical-hydrogen.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--