


Covering a cylinder with a magnetic coil triples its energy output in nuclear fusion test

November 25 2022, by Bob Yirka



(a) Sketch of the magnetized NIF hohlraum constructed from AuTa₄ with solenoidal coil to carry current. (b) X-ray drive measured through one of the LEHs and the incident laser powers for a magnetized and unmagnetized AuTa₄

hohlraum and two unmagnetized Au hohlraums. “BF” refers to “BigFoot,” the name of the previous ignition design. Credit: *Physical Review Letters* (2022). DOI: 10.1103/PhysRevLett.129.195002

A team of researchers working at the National Ignition Facility, part of Lawrence Livermore National Laboratory, has found that covering a cylinder containing a small amount of hydrogen fuel with a magnetic coil and firing lasers at it triples its energy output—another step toward the development of nuclear fusion as a power source.

In their paper published in the journal *Physical Review Letters*, the team, which has members from several facilities in the U.S., one in the U.K. and one in Japan, describes upgrading their setup to allow for the introduction of the magnetic coil.

Last year, a team working at the same facility announced that they had come closer to achieving ignition in a nuclear fusion test than anyone has so far. Unfortunately, they were unable to repeat their results. Since that time, the team has been reviewing their original design, looking for ways to make it better.

The original design involved firing 192 [laser beams](#) at a tiny cylinder containing a tiny sphere of hydrogen at its center. This created X-rays that heated the sphere until its atoms began to fuse. Some of the design improvements have involved changing the size of the holes through which the lasers pass, but they have only led to minor changes.

Looking for a better solution, the team studied prior research and found several studies that had shown, via simulation, that encasing a cylinder in a magnetic field should significantly increase the [energy output](#).

Putting the suggestion into practice, the researchers had to modify the cylinder—originally, it was made of gold. Placing it in a strong magnetic field would create an electric current strong enough to tear the cylinder apart, so they made a new one from an alloy of gold and tantalum. They also switched the gas from hydrogen to deuterium (another kind of hydrogen), then covered the whole works with a tesla [magnetic field](#) using a coil. Then they fired up the lasers. The researchers saw an immediate improvement—the hot spot on the sphere went up by 40% and the energy output was tripled.

The work marks a step toward the ultimate goal—creating a [fusion reactor](#) that can produce more energy than is put into it.

More information: J. D. Moody et al, Increased Ion Temperature and Neutron Yield Observed in Magnetized Indirectly Driven D₂ -Filled Capsule Implosions on the National Ignition Facility, *Physical Review Letters* (2022). [DOI: 10.1103/PhysRevLett.129.195002](https://doi.org/10.1103/PhysRevLett.129.195002)

© 2022 Science X Network

Citation: Covering a cylinder with a magnetic coil triples its energy output in nuclear fusion test (2022, November 25) retrieved 15 June 2024 from <https://phys.org/news/2022-11-cylinder-magnetic-triples-energy-output.html>

<p>This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.</p>
--