

Fertilizers limit pollination by changing how bumblebees sense flowers

November 9 2022





Artist's impression of bumblebee interacting with flower. Credit: Benjamin and Joseph Tiso

Pollinators are less likely to land on flowers sprayed with fertilizers or pesticides as they can detect electric field changes around the flower, researchers at the University of Bristol have found.

The study, published in *PNAS Nexus* today, shows that chemical sprays alter the electric field around flowers for up to 25 minutes after exposure. This impact lasts substantially longer than natural fluctuations, such as those caused by wind, and causes a reduction in bee feeding effort in nature.

Dr. Ellard Hunting of Bristol's School of Biological Sciences and his team noted that <u>fertilizers</u> did not affect vision and smell, and set out to mimic the electrical changes caused by fertilizers and pesticides in the field by electrically manipulating flowers. This showed that bumblebees were able to detect and discriminate against the small and dynamic <u>electric field</u> alterations that are caused by the chemicals.

Dr. Ellard Hunting said, "We know that chemicals are toxic, but we know little about how they affect the immediate interaction between plants and pollinators.

"Flowers have a range of cues that attract bees to promote feeding and pollination. For instance, bees use cues like flower odor and color, but they also use electric fields to identify plants.

"A big issue is thus—agrochemical application can distort floral cues and modify behavior in pollinators like bees."



Furthermore, various other <u>airborne particles</u> such as nanoparticles, exhaust gases, nano-plastics, and viral particles may have similar impacts, affecting a wide array of organisms that use the electric fields that are virtually everywhere in the environment.



Artist's impression of bumblebee interacting with flower. Credit: Nubia Hunting



Co-author, Bristol's Sam England, explained, "What makes this study important is that it's the first known example of anthropogenic 'noise' interfering with a terrestrial animal's electrical sense.

"It's much like motorboat noise that hinders the ability of fish to detect their predators, or artificial light at night that confuses moths; the fertilizers are a source of noise to bees trying to detect floral electrical cues.

"This widens our understanding of the multifaceted ways in which <u>human activity</u> is negatively impacting the <u>natural world</u>, which can seem quite depressing, but it will hopefully allow is to introduce or invent solutions to prevent the adverse effects that these chemicals may be having on bees."

Dr. Ellard Hunting added, "The fact that fertilizers affect pollinator behavior by interfering with the way an organism perceives its <u>physical</u> <u>environment</u> offers a new perspective on how human-made chemicals disturb the natural environment."

More information: Synthetic fertilizers alter floral biophysical cues and bumblebee foraging behavior, *PNAS Nexus* (2022). <u>DOI:</u> 10.1093/pnasnexus/pgac230. academic.oup.com/pnasnexus/art 93/pnasnexus/pgac230

Provided by University of Bristol

Citation: Fertilizers limit pollination by changing how bumblebees sense flowers (2022, November 9) retrieved 27 June 2024 from <u>https://phys.org/news/2022-11-fertilizers-limit-</u>



pollination-bumblebees.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.