

Study shows hundreds of thousands of tons of bacteria are being released by melting glaciers

November 17 2022, by Bob Yirka



A conceptual model of the glacial weathering crust. a A catchment-scale transect and water flow across and beneath the ice surface, for which b indicative depth-



variable relationships for bulk ice density, porosity and hydraulic conductivity (K) are shown. c Insets depict exemplar meltwater-saturated or unsaturated microbial habitats or niches: i) shows the near-surface unsaturated zone with capillary draw and evaporative water fluxes; ii) illustrates the highly porous ice-atmosphere interface where glacier ice algae thrive; iii) portrays the saturated weathering crust zone; and iv) represents a cryoconite hole ecosystem that punctuates the weathering crust, hosting a one-particle thick layer of cryoconite granules. Microbes suspected to be present in each environmental niche are indicated. Credit: *Communications Earth & Environment* (2022). DOI: 10.1038/s43247-022-00609-0

A team of researchers affiliated with multiple institutions across Europe, the U.K. and Canada has found that hundreds of thousands of tons of bacteria are currently being released annually into the environment by melting glaciers in the northern latitudes. In their paper published in the journal *Communications Earth & Environment*, the group describes sampling glacial runoff from multiple sites in Europe, North America and Greenland.

As <u>climate change</u> progresses, doomsday reports from around the world have proliferated. One alarming claim is that a virus or <u>strain of bacteria</u> will emerge from ancient ice that is impervious to the human immune system, killing off most, if not all, of humankind. In this new effort, the researchers have joined a growing effort to take samples of melting runoff from glaciers to learn more about their microbial ecosystems as a means to discover whether a threat exists, and if so, what sort.

The work involved collecting glacier runoff samples from eight glaciers in North America and Europe, and two from the Greenland ice cap. They studied the samples to learn more about the microbiota hosted in the runoff. They found tens of thousands of microbes in just millimeters of water and made estimates for the number of bacteria and algae that



are currently being released from glaciers across the Northern Hemisphere—approximately 650,000 metric tons each year. They note that this is expected to continue for approximately 80 years, at which point, the glaciers will be gone.

The researchers did not study the bacteria individually, and thus did not spot any species that might pose a threat to human health. They did note that most of the bacteria were killed by the sun soon after exposure, suggesting that even if a human pathogen is among them, the chance of infection is slight. Bacteria in <u>water samples</u>, the researchers note, tend to have pigments that absorb sunlight, which further adds to warming in northern regions.

More information: Ian T. Stevens et al, Spatially consistent microbial biomass and future cellular carbon release from melting Northern Hemisphere glacier surfaces, *Communications Earth & Environment* (2022). DOI: 10.1038/s43247-022-00609-0

© 2022 Science X Network

Citation: Study shows hundreds of thousands of tons of bacteria are being released by melting glaciers (2022, November 17) retrieved 3 May 2024 from <u>https://phys.org/news/2022-11-hundreds-thousands-tons-bacteria-glaciers.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.