


Spin correlation between paired electrons demonstrated

November 23 2022



Electrons leave a (conventional) superconductor (S) only as pairs and only with opposite spins (arrow up or down, red or blue). If both electron paths are blocked for the same type of spin by parallel spin filters (here for spin down (blue)), a single electron with spin up (red) could in principle exit, but paired electrons from the superconductor are blocked, which ideally suppresses both electrical currents. Credit: Department of Physics, University of Basel, Scixel

Physicists at the University of Basel have experimentally demonstrated




for the first time that there is a negative correlation between the two spins of an entangled pair of electrons from a superconductor. For their study, the researchers used spin filters made of nanomagnets and quantum dots, as they report in the scientific journal *Nature*.

The entanglement between two particles is among those phenomena in <u>quantum physics</u> that are hard to reconcile with everyday experiences. If entangled, certain properties of the two particles are closely linked, even when far apart. Albert Einstein described entanglement as a "spooky action at a distance." Research on entanglement between light particles (photons) was awarded this year's Nobel Prize in Physics.

Two <u>electrons</u> can be entangled as well—for example in their spins. In a superconductor, the electrons form so-called Cooper pairs responsible for the lossless electrical currents and in which the individual spins are entangled.

For several years, researchers at the Swiss Nanoscience Institute and the Department of Physics at the University of Basel have been able to extract electron pairs from a superconductor and spatially separate the two electrons. This is achieved by means of two <u>quantum dots</u> —nanoelectronic structures connected in parallel, each of which only allows single electrons to pass.





In contrast to parallel spin filters, for antiparallel spin filters electron pairs are allowed to exit the superconductor, which can be detected as significantly enhanced electrical currents in both paths. Credit: Department of Physics, University of Basel, Scixel

Opposite electron spins from Cooper pairs

The team of Prof. Dr. Christian Schönenberger and Dr. Andreas Baumgartner, in collaboration with researchers led by Prof. Dr. Lucia Sorba from the Istituto Nanoscienze-CNR and the Scuola Normale Superiore in Pisa have now been able to experimentally demonstrate what has long been expected theoretically: electrons from a superconductor always emerge in pairs with opposite spins.

Using an innovative experimental setup, the physicists were able to measure that the spin of one electron points upwards when the other is



pointing downwards, and vice versa. "We have thus experimentally proven a negative correlation between the spins of paired electrons," explains project leader Andreas Baumgartner.

The researchers achieved this by using a spin filter they developed in their laboratory. Using tiny magnets, they generated individually adjustable magnetic fields in each of the two quantum dots that separate the Cooper pair electrons. Since the spin also determines the magnetic moment of an electron, only one particular type of spin is allowed through at a time.

"We can adjust both quantum dots so that mainly electrons with a certain spin pass through them," explains first author Dr. Arunav Bordoloi. "For example, an electron with spin up passes through one quantum dot and an electron with spin down passes through the other quantum dot, or vice versa. If both quantum dots are set to pass only the same spins, the <u>electric currents</u> in both quantum dots are reduced, even though an individual electron may well pass through a single quantum dot."

"With this method, we were able to detect such negative correlations between electron spins from a superconductor for the first time," Andreas Baumgartner concludes. "Our experiments are a first step, but not yet a definitive proof of entangled electron spins, since we cannot set the orientation of the spin filters arbitrarily—but we are working on it."

The research, which was recently published in *Nature*, is considered an important step toward further experimental investigations of quantum mechanical phenomena, such as the entanglement of particles in solids, which is also a key component of quantum computers.

More information: Arunav Bordoloi, Spin cross-correlation experiments in an electron entangler, *Nature* (2022). DOI: 10.1038/s41586-022-05436-z.



www.nature.com/articles/s41586-022-05436-z

Provided by University of Basel

Citation: Spin correlation between paired electrons demonstrated (2022, November 23) retrieved 26 April 2024 from <u>https://phys.org/news/2022-11-paired-electrons.html</u>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.