

# Using satellites for faster flood information

November 23 2022

---



Flooding in Brisbane city. Credit: The University of Queensland

Researchers at The University of Queensland have used satellites with radar imaging sensors to see through clouds and map flooding and say the technique could provide faster, more detailed information to keep communities safe.

Professor Noam Levin from UQ's School of Earth and Environmental

Sciences said the project combined images from optical satellites with information from imaging radar satellites.

"Monitoring floods in towns and cities is challenging, with [flood](#) waters often rising and then receding in a few days," Professor Levin said.


"While large satellites in the past provided images every 7-14 days, now groups of small satellites can collect several images a day over the same location.

"Radar imaging sensors can provide [images](#) at night or on days with thick cloud cover—a huge advantage in stormy conditions.

"They use a flash, like on a camera, and the light is sent at wavelengths between 1mm and 1.0m, which can pass through clouds and smoke."

During Brisbane's February 2022 floods, researchers combined [satellite](#) day-time pictures showing the extent of the flood with imaging radar and optical night-time data of the lights associated with human activity.

"We could see which areas became dark as the [flood waters](#) encroached," Professor Levin said.



Map of inundated western Brisbane suburbs on 28 February 2022 derived from PlanetScope (purple) and Capella (pink) satellite data. Credit: The University of Queensland

"We matched this with data from river gauges operated by the Bureau of Meteorology, and with changes in electricity loads reported by Energex, the power supplier."

Professor Stuart Phinn said the technique could play a vital role in protecting Australians during future flooding events.

"In combination with existing flood monitoring and modeling technologies, satellites could change the way we monitor major flood events, understand how they occur, and direct emergency and other

responses," Professor Phinn said.

"With faster update times—at least twice a day—and more accurate and timely data, agencies monitoring the floods can assess changes and alert people in at-risk areas.

"This technique can also be used post-disaster to assess the extent of damage, direct recovery efforts and for the assessment of insurance claims."

The team used optical satellites from Planet Inc. and from NASA's VIIRS, as well as imaging [radar](#) satellites from Capella.

The research has been published in *Remote Sensing*.

**More information:** Noam Levin et al, Assessing the 2022 Flood Impacts in Queensland Combining Daytime and Nighttime Optical and Imaging Radar Data, *Remote Sensing* (2022). [DOI: 10.3390/rs14195009](https://doi.org/10.3390/rs14195009)

Provided by University of Queensland

Citation: Using satellites for faster flood information (2022, November 23) retrieved 25 April 2024 from <https://phys.org/news/2022-11-satellites-faster.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.