


Three-dimensional flower corollas with on-demand chiral selectivity

November 23 2022



Inspired by (a,b) natural five-petaled flower corollas of (a) achiral *Phlox subulate* and (b) counterclockwise chiral *Mandevilla*, (c–f) artificial three-dimensional flower corollas are fabricated by (c) capillary assembly, (e) clockwise twisting, and (f) counterclockwise twisting of (d) upright microarrays. (Scale bars, (a) 8 mm, (b) 2.5 cm, and (c–f) 50 μm). Credit: Hanyang University

Researchers from Hanyang University have recently designed a three-dimensional (3D) microarray with dynamic chirality selection.

Chirality is a non-superimposable property of structure; for example, the left hand looks like the right in a mirror, yet the left hand cannot be superimposed by the right. Chiral structures have been studied in the biochemical field as part of the search for drugs that bind with DNA proteins. Artificial fabrication of chiral structures has been attempted for functionality from chiral selectivity; however, it is difficult to dynamically switch the chirality.

A flower corolla-inspired study, published in *ACS Nano*, is the first to demonstrate on-demand and dynamically controlled chiral selectivity of a 3D microstructure. The researchers were inspired by the chirality of the flower corolla, so often visible in nature. Flowers like the Mandevilla protect themselves against heavy winds via the chirality of its five-petaled corolla. This chiral corolla uses a counterclockwise directionality with asymmetric-shaped petals. Alternatively, [flowers](#) like Phlox subulata do not have chirality since this five-petaled corolla superimposes with its [mirror image](#) with symmetric-shaped petals. This is called achirality.

In the flower corolla-inspired 3D microstructure, five semicylindrical micropillars are radially arranged to mimic a natural flower consisting of five petals. This [microarray](#) is an achiral structure due to its symmetrically shaped semicylindrical micropillars. A key point of this work is that this achirality of the microarray can then dynamically disappear through the twisting of the micropillars that converts its symmetrical shape into an asymmetrical one.

The micropillars are composed of easily deformable rubber-like

polydimethylsiloxane and magnetic iron particles; thus, the pillar tops twist when a [magnetic field](#) is applied while pillar bases remain fixed to the substrate of microarrays. With the start of twisting actuations, the microarray does not superimpose with its mirror image.

Consequently, the achirality of the microarray changes in real-time to counterclockwise or clockwise chirality by clockwise or counterclockwise twisting actuations, respectively. Micropillars in an array simultaneously twist in a clockwise direction, resulting in counterclockwise chirality. Conversely, clockwise chirality is led by micropillars that simultaneously twist in a counterclockwise direction.

Researchers in the study emphasize a key aspect of this technique in that simply regulating the direction of magnetic fields can dynamically convert chiralities of the microarrays from counterclockwise to clockwise directionality and vice versa.

This chiral-selective three-dimensional microstructure has [possible applications](#) in the development of optic devices. Typically, electromagnetic waves of light are circularly polarized, separated into right- or left- circularly polarized lights and interact with the chirality of the structure.

Through this chiral-selective interaction, the polarization direction of arbitrary light could be detected as light penetrates into the chiral microarray. Right- or left-circularly polarized light will selectively interact with the counterclockwise or clockwise [chirality](#) of the flower corolla-like microarray.

More information: Jeong Eun Park et al, On-Demand Dynamic Chirality Selection in Flower Corolla-like Micropillar Arrays, *ACS Nano* (2022). [DOI: 10.1021/acsnano.2c04825](https://doi.org/10.1021/acsnano.2c04825)

Provided by Hanyang University

Citation: Three-dimensional flower corollas with on-demand chiral selectivity (2022, November 23) retrieved 3 May 2024 from <https://phys.org/news/2022-11-three-dimensional-corollas-on-demand-chiral.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.