

To stop new viruses jumping across to humans, we must protect and restore bat habitat

November 24 2022, by Alison Peel, Peggy Eby and Raina Plowright



Grey headed flying foxes prefer to roost in huge groups, feeding on eucalypt nectar. But if there are no eucalypts, they look for food in rural and suburban areas. Credit: Vivien Jones, Author provided

Bats have lived with coronaviruses for millennia. Details are still hazy about how one of these viruses evolved into SARS-CoV-2, which causes COVID in humans. Did it go directly from bats to humans or via another animal species? When? And why? If we can't answer these questions for this now-infamous virus, we have little hope of preventing the next pandemic.

Some [bat species](#) are hosts for other viruses lethal to humans, from rabies to [Nipah](#) to [Hendra](#). But their supercharged immune systems allow them to co-exist with these viruses without appearing sick.

So what can we do to prevent these viruses emerging in the first place? We found one surprisingly simple answer in our [new research](#) on flying foxes in Australia: protect and restore native bat habitat to boost natural protection.

When we destroy [native forests](#), we force nectar-eating flying foxes into survival mode. They shift from primarily nomadic animals following eucalypt flowering and forming large roosts to less mobile animals living in a large number of small roosts near agricultural land where they may come in contact with horses.

Hendra virus is carried by bats and can spill over to horses. It doesn't often spread from horses to humans, but when it does, it's [extremely dangerous](#). Two-thirds of Hendra cases in horses have occurred in heavily cleared areas of northern New South Wales and south-east Queensland. That's not a coincidence.

Now we know how habitat destruction and spillover are linked, we can act. Protecting the eucalyptus species flying foxes rely on will reduce the risk of the virus spreading to horses and then humans. The data we gathered also makes it possible to predict times of heightened Hendra virus risk—up to two years in advance.

What did we find out?

Many Australians are fond of flying foxes. Our largest flying mammal is often seen framed against summer night skies in cities.

These nectar-loving bats play a vital ecosystem role in pollinating Australia's native trees. (Pollination in Australia isn't limited to bees—[flies](#), moths, birds and bats do it as well). Over winter, they rely on nectar from a few [tree species](#) such as forest red gums (*Eucalyptus tereticornis*) found mostly in southeast Queensland and northeast NSW. Unfortunately, most of this habitat has been cleared for agriculture or towns.

Flying foxes are typically nomadic, flying vast distances across the landscape. When eucalypts burst into flower in specific areas, these bats will descend on the abundant food and congregate in lively roosts, often over 100,000 strong.

But Australia is a harsh land. During the [severe droughts](#) brought by El Niño, eucalyptus trees may stop producing nectar. To survive, flying foxes must change their behavior. Gone are the large roosts. Instead, bats spread in many directions, seeking other food sources, like introduced fruits. This response typically only lasts a few weeks. When eucalypt flowering resumes, the bats come back to again feed in native forests.

But what happens if there are not enough forests to come back to?

Between 1996 and 2020, we found large winter roosts of nomadic bats in southeast Queensland became increasingly rare. Instead, flying foxes were forming small roosts in [rural areas](#) they would normally have ignored and feeding on introduced plants like privet, camphor laurel and citrus fruit. This has brought them into closer contact with horses.

In related research [published last month](#), we found the smaller roosts forming in these rural areas also had higher detection rates of Hendra virus—especially in winters after a climate-driven nectar shortage.



Flying foxes are social, intelligent – and play a key role in pollinating native trees. Credit: Vivien Jones, Author provided

An early warning system for Hendra virus

Our models confirmed strong El Niño events caused nectar shortages for flying foxes, splintering their large nomadic populations into many small populations in urban and agricultural areas.

Importantly, the models showed a strong link between food shortages and clusters of Hendra virus spillovers from these new roosts in the following year.

This means by tracking drought conditions and food shortages for flying foxes, we can get crucial early warning of riskier times for Hendra virus—up to two years in advance.

Biosecurity, veterinary health and human health authorities could use this information to warn horse owners of the risk. Horse owners can then ensure their horses are protected with the vaccine.

How can we stop the virus jumping species?

Conservationists have long pointed out human health depends on a healthy environment. This is a very clear example. We found Hendra virus never jumped from flying foxes to horses when there was abundant winter nectar.

Protecting and restoring bat habitat and replanting key tree species well away from horse paddocks will boost bat health—and keep us safer.

Flying foxes leave roosts in cities or rural areas when there are abundant flowering gums elsewhere. It doesn't take too long—trees planted today could start drawing bats within a decade.

SARS-CoV-2 won't be the last bat [virus](#) to jump species and upend the world. As experts plan ways to better respond to next pandemic and work on [human vaccines](#) built on the [equine Hendra vaccines](#), we can help too.

How? By restoring and protecting the natural barriers which for so long kept us safe from bat-borne viruses. It is far better to prevent viruses

from spilling over in the first place than to scramble to stop a possible pandemic once it's begun.

Planting trees can help stop dangerous new viruses reaching us. It really is as simple as that.

More information: Peggy Eby et al, Pathogen spillover driven by rapid changes in bat ecology, *Nature* (2022). [DOI: 10.1038/s41586-022-05506-2](https://doi.org/10.1038/s41586-022-05506-2)

This article is republished from [The Conversation](#) under a Creative Commons license. Read the [original article](#).

Provided by The Conversation

Citation: To stop new viruses jumping across to humans, we must protect and restore bat habitat (2022, November 24) retrieved 27 July 2024 from <https://phys.org/news/2022-11-viruses-humans-habitat.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.