

Fish larvae find their way using external cues, new study finds

December 13 2022, by Diana Udel



Claire Paris, professor of ocean sciences (center left), and co-author Jean-Olivier Irisson (center right) deploy the Drifting In Situ Chamber (DISC), equipped with an imaging system designed to record larval fish swimming behavior in their natural settings during an expedition at the Australian Museum Lizard Island Research Station. Credit: Lyle Vail

The first global analysis of larval orientation studies found that millimeter-size fish babies consistently use external cues to find their



way in the open ocean. There are many external cues available to marine fish including the sun, Earth's magnetic field, and sounds. The new study, led by scientists at the University of Miami Rosenstiel School of Marine, Atmospheric, and Earth Science offers important insight into understanding this perilous phase of marine fish.

Understanding the mechanisms that <u>fish</u> larvae use during their pelagic journey is critical for scientists to better predict their dispersal, the connectivity of marine protected areas, and the structure of <u>marine fish</u> populations.

"This study highlights the importance of a deeper understanding of larval orientation mechanisms and suggests the concept of vector-navigation in the early life history of fish," said the study's senior author Claire Paris, a professor of ocean sciences at the Rosenstiel School.

Once considered passive drifters relying on <u>ocean currents</u> to get them to their nursery grounds, the Rosenstiel School researchers, together with multiple collaborators, showed that for many species around the world from tropical to temperate regions, fish larvae are able to control their destination and migrate by keeping a bearing.

The researchers analyzed nearly two decades of studies using two methods to collect data on an unprecedented number of larvae of multiple species and locations.

One method used a 'Drifting In Situ Chamber' instrument invented by Paris that consists of an underwater chamber with an imaging system to record larval fish swimming behavior in their natural settings. The second method used is the 'Following' method developed by Jeff Leis, an ichthyologist at the University of Tasmania, in which two scuba divers follow late-stage larvae while recording the bearing and swimming speed.



Movement patterns obtained by these two experimental methods were compared to theoretical <u>movement patterns</u> expected under strict use of internal cues. The results from this combined approach strongly supported oriented movement by fish larvae.

"Our study is the first to show that this is achieved using external directional cues, providing a systematic and global indication for a robust use of <u>external cues</u> by fish larvae for orientation. This is important since a better understanding of the larval stages can facilitate the management and conservation of marine populations," said the study's lead author Igal Berenshtein, a postdoctoral researcher in the Department of Ocean Sciences at the Rosenstiel School.

"It's extraordinary that these tiny fish larvae find their way in a vast ocean" said Paris. "We can learn from them to fundamentally advance fisheries models and the science of underwater navigation."

The findings are published in the journal Communications Biology.

More information: Igal Berenshtein et al, Evidence for a consistent use of external cues by marine fish larvae for orientation, *Communications Biology* (2022). DOI: 10.1038/s42003-022-04137-7

Provided by University of Miami Rosenstiel School of Marine, Atmospheric, and Earth Science

Citation: Fish larvae find their way using external cues, new study finds (2022, December 13) retrieved 2 May 2024 from https://phys.org/news/2022-12-fish-larvae-external-cues.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is



provided for information purposes only.