


The oldest-known members of an evolutionary group that includes all living lizards and their closest extinct relatives

December 6 2022, by Jim Shelton



A modern iguana, left, and two blocks (right) containing the holotype of *Microteras borealis*. The holotype consists of a portion of the snout (top) and the braincase (bottom). Although not an iguanan, *Microteras borealis* is one of the oldest examples of the crown lizard group that includes all living lizards. Credit: Yale Peabody Museum of Natural History

Yale researchers have identified the oldest-known, definitive members of the lizard crown group that includes all living lizards and their closest extinct relatives.

The two new species, *Eoscincus ornatus* and *Microteras borealis*, fill important gaps in the [fossil record](#) and offer tantalizing clues about the complexity and geographic distribution of lizard evolution. The new lizard "kings" are described in a study published in *Nature Communications*.

"This helps us time out the ages of the major living lizard and snake groups, as well as when their key anatomical features originated," said Chase Brownstein, first author of the study. Brownstein, a Yale senior, collaborated on the study with Yale paleontologists Jacques Gauthier and Bhart-Anjan S. Bhullar.

Gauthier is a professor of Earth and planetary sciences in Yale's Faculty of Arts and Science and curator at the Yale Peabody Museum of Natural History. Bhullar is an associate professor of Earth and planetary sciences and an associate curator at the Peabody Museum.

Lizard evolution is known to cover more than 250 million years of Earth's history—yet there are few surviving fossils from the first half of that period. This dearth of evidence has left researchers with unresolved questions about how and when lizards developed or discarded specific physical features.



An image of the snout of *Microteras borealis*, showing the animal's teeth. Credit: Yale Peabody Museum of Natural History

But new analytical approaches and technologies are allowing paleontologists to gain insights.

For the new study, Brownstein and his colleagues used high-resolution, computed tomography (CT) scans to create 3D images of two previously discovered lizard skulls from the western U.S. An analysis of the scans revealed that the skulls—which are 145 million years old—belong to two new lizard species.

One of the new species, *Eoscincus ornatus*, came from what is now Dinosaur National Monument in Utah. Its skull has at least one feature that is absent in nearly all modern lizards: two rows of teeth on a palate

bone called the vomer. The other new species, *Microteras borealis*, came from what is now Como Bluff Quarry in Wyoming.

In addition to being the oldest-known lizards that fit firmly within the main line of lizards (known as squamata) *Eoscincus ornatus* and *Microteras borealis* share [physical characteristics](#) with other species found in Eurasia. This implies a wide, [global distribution](#) for major groups of squamates even in [ancient times](#), the researchers said.

"When put into a larger ecological context, the [new species](#) demonstrate that major living lizard groups started to assemble their body plans quite early," Brownstein said. "They developed key physical features at a time when another group of lizard relatives—rhynchocephalians, now represented by only the tuatara of New Zealand—was more dominant."

More information: Chase D. Brownstein et al, Evolutionary origins of the prolonged extant squamate radiation, *Nature Communications* (2022). [DOI: 10.1038/s41467-022-34217-5](https://doi.org/10.1038/s41467-022-34217-5)

Provided by Yale University

Citation: The oldest-known members of an evolutionary group that includes all living lizards and their closest extinct relatives (2022, December 6) retrieved 11 July 2024 from <https://phys.org/news/2022-12-oldest-known-members-evolutionary-group-lizards.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.