


Precise FAST observations reveal circular polarization in active repeating fast radio bursts

December 27 2022, by Li Yuan



Artist's impression of FAST detecting the circular polarization from two active repeating FRBs with PRSSs. Credit: *Science Bulletin* (2022). DOI:

10.1016/j.scib.2022.11.014

A research team led by Prof. Li Di from the National Astronomical Observatories of the Chinese Academy of Sciences (NAOC) has revealed circular polarization in active repeating fast radio bursts based on precise observations of the Five-hundred-meter Aperture Spherical Telescope (FAST).

Their findings were published in *Science Bulletin*.

Fast radio bursts (FRBs) are the most luminous radio flashes in the universe. The estimated equivalent energy of one FRB event can rival the energy output the sun over a whole day or even a month to a year.

Since the first FRB was reported in 2007, more than 600 FRB sources have been discovered, the majority of which have only been detected once. Fewer than 5% of all FRBs have repeated bursts, among which fewer than 10 can be described as active.

As one of the basic properties of electromagnetic waves, [polarization](#) carries critical information about FRBs' intrinsic properties and their environments. Many common light sources, including [incandescent light bulbs](#) and most stars such as our sun, emit unpolarized light. Linear polarization has been detected in almost all repeating FRBs. Circular polarization, however, remains relatively rare. Only one repeating FRB, namely FRB20201124A, has been reported with circular polarization.

FRB20121102A is the first known repeater. FRB20190520B, discovered by the Commensal Radio Astronomy FAST Survey (CRAFTS), is the first persistently active repeater known. They are the only repeaters found to be associated with persistent radio sources (PRSs), which could

be a sign of their youthfulness and related to their hyper-active nature. FAST managed to capture extremely active episodes for these two FRBs, which has allowed for precise characterization of their polarization.

Through systematic data analysis, the researchers detected circular polarization in less than 5% of the bursts from both FRBs. The maximum degree of circular polarization was as much as 64%. The large degree of circular polarization disfavors multi-path propagation as the cause. The currently viable hypotheses include Faraday conversion and/or a radiation mechanism intrinsic to the source.

As of now, circular polarization occurs apparently more often in non-repeaters than in repeaters. The conditions for generating circular polarization in repeating FRBs should thus be rarer.

This work increases the number of repeating FRBs with circular polarization from one to three. The detection of circular polarization in FRB20121102A, 20190520B, and 20201124A may suggest that [circular polarization](#) is a common trait, although occurring sporadically, in repeating FRBs.

Further systematic and precise characterization of polarization by FAST will shed new light on the emission mechanism of FRBs and eventually help reveal the origin of such mysterious events in our dynamic universe.

More information: Yi Feng et al, Circular polarization in two active repeating fast radio bursts, *Science Bulletin* (2022). [DOI: 10.1016/j.scib.2022.11.014](#)

Provided by Chinese Academy of Sciences

Citation: Precise FAST observations reveal circular polarization in active repeating fast radio bursts (2022, December 27) retrieved 6 June 2023 from <https://phys.org/news/2022-12-precise-fast-reveal-circular-polarization.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.