


Synthesis of material that absorbs electromagnetic waves in the 6G band

December 7 2022



Consecutive manufacturing process of epsilon iron oxide. Credit: Korea Institute of Materials Science (KIMS)


A research team led by Dr. Youn-kyoung Baek and Dr. Jung-goo Lee succeeded in developing the world's first technology to consecutively manufacture epsilon iron oxide that can absorb millimeter wave with a high coercive force equivalent to that of neodymium (Nd) magnets. The researchers are from the Department of Magnetic Materials in Powder Materials Division at the Korea Institute of Materials Science (KIMS), a research institute under the Ministry of Science and ICT.

Iron oxide material with a high-coercive [epsilon](#) crystal phase is almost the only magnetic material that absorbs ultra-high frequencies, which is a potential 6G [frequency band](#). Until now, it was only formed in a nano-

sized particle of 50 nanometers or less. Researchers in Japan succeeded in producing pure epsilon iron oxide through a batch type wet process, but this involves time consuming multi-stage process, resulting in a low yield.

The KIMS research team adopted the aerosol process to solve the low-yield problem and succeeded in producing a composite powder in which epsilon iron oxide nanoparticles are embedded in silica particles by spray-drying precursor solutions in a hot chamber.

When the precursor material solution is continuously injected and the droplets are instantly dried, the iron precursor is trapped in the silica xerogel particles and limited to grow during heat treatment. Epsilon iron oxide nanoparticles could be continuously produced through a micrometer-sized powder manufacturing process, which is significant as it showed the possibility of commercialization of [millimeter wave](#) absorbing materials.



The shape, magnetic properties and electromagnetic wave absorption properties of the epsilon iron oxide. Credit: Korea Institute of Materials Science (KIMS)

While conventional metals that absorb [electromagnetic waves](#) have reduced absorption capacity in high-frequency bands or have limitations in controlling frequency bands, epsilon iron oxide has high potential as a material for future communication parts due to its absorption capacity in the ultra-high frequency (30–200GHz) band.

Continuous manufacturing technology of epsilon iron oxide with millimeter wave absorption capability can be used for mm-wave 5G/6G wireless communication, radar sensors for driverless car, stealth and low-orbit satellite communication components. In addition, as it is a high-coercivity magnetic material, it can be used for electric motor parts for future mobility.

Currently, no companies commercially produce products with applied [magnetic materials](#) capable of absorbing mm waves. Only two or three companies in the U.S., Japan, and Germany produce 5G band absorbing and shielding materials. The technology developed by researchers at KIMS is expected to be localized and exported to the global market in the future.

Principal investigator Dr. Youn-kyoung Baek said, "The epsilon iron oxide can selectively absorb ultra-high frequencies in a wide band (30 to 200 GHz). The significance of the study is that it developed the first continuous manufacturing process of epsilon iron oxides. The technology is expected to accelerate the commercialization of [wireless communication](#) devices using millimeter waves, self-driving car radars, and absorber technology for space satellite communication in the future."

The research was carried out as a project to develop magnetic composite materials with tunable magnetic performances. In addition, the research was presented in *Chemical Communications*.

Currently, the research team is discussing [technology transfer](#) for mass production of [iron oxide](#) absorbing materials with many companies, and is conducting a follow-up study to improve the wave absorption capacity to the terahertz range.

More information: Gi Ryeon Jo et al, Facile synthesis of epsilon iron oxides via spray drying for millimeter-wave absorption, *Chemical Communications* (2022). [DOI: 10.1039/D2CC03168J](https://doi.org/10.1039/D2CC03168J)

Provided by National Research Council of Science & Technology

Citation: Synthesis of material that absorbs electromagnetic waves in the 6G band (2022, December 7) retrieved 12 August 2024 from <https://phys.org/news/2022-12-synthesis-material-absorbs-electromagnetic-6g.html>

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.