


How antioxidants produced by mitochondria reach the cell surface to protect against death

January 20 2023



The enzyme STARD7 (green) helps mitochondria (red) to transport Coenzyme Q to protect cells from cell death. Credit: S. Deshwal/ Max-Planck-Institut für Biologie des Alterns

Antioxidants are often advertised as a cure-all in nutrition and offered as



dietary supplements. However, our body also produces such radical scavengers itself, one of which is coenzyme Q. Now researchers from the Max Planck Institute for Biology of Aging have discovered how the substance, which is produced in our mitochondria, reaches the cell surface and protects our cells from dying.

Coenzyme Q is an antioxidant that is essential for our body. A deficiency of coenzyme Q leads to serious diseases such as Leigh syndrome—a hereditary disease in which certain <u>brain regions</u> become affected and, among other things, <u>muscle weakness</u> can occur. A deficiency of coenzyme Q is also one of the first signs of aging and can occur as early as the early 20s. But why can't we simply take this substance in with our food?

Highly hydrophobic

"Coenzyme Q is a highly hydrophobic molecule that our bodies absorb very little from food," explains Soni Deshwal, scientist at the Max Planck Institute for Biology of Aging and lead author of the study. But it is also a problem in our cells that coenzyme Q is not water soluble. The antioxidant is formed in mitochondria and must pass through the watery cell interior called cytoplasm to the surface of the cells in order to neutralize oxidized lipid species.

"With our research, we have now been able to identify the proteins involved in coenzyme Q transport from the mitochondria to the cell surface," explains Deshwal. The researchers found that an enzyme called STARD7 helps transport the coenzyme. This protein is not only localized in the mitochondria, but also inside the cytoplasm.

Band-aids for the cell surface



"The mitochondria actively transport coenzyme Q to the <u>cell surface</u> to protect cells from <u>cell death</u>. It is as if the mitochondria deliver bandaids to the surface to protect the cell," says Deshwal. "This again shows that <u>mitochondria</u> are not only important as an energy supplier for our cells, but also play crucial regulatory roles."

The paper is published in the journal Nature Cell Biology.

In the long term, the researchers hope that a precise understanding of this transport process will enable Coenzyme Q to be delivered into the cells of affected patients and thus provide a new therapeutic approach for diseases such as Leigh syndrome.

More information: Soni Deshwal et al, Mitochondria regulate intracellular coenzyme Q transport and ferroptotic resistance via STARD7, *Nature Cell Biology* (2023). DOI: 10.1038/s41556-022-01071-y

Provided by Max Planck Society

Citation: How antioxidants produced by mitochondria reach the cell surface to protect against death (2023, January 20) retrieved 14 May 2024 from https://phys.org/news/2023-01-antioxidants-mitochondria-cell-surface-death.html

This document is subject to copyright. Apart from any fair dealing for the purpose of private study or research, no part may be reproduced without the written permission. The content is provided for information purposes only.